

# TURN YOUR WASHROOM INTO A SHOWROOM WITH THE NEW ASI

Welcome to the new ASI—the world's leading manufacturer of commercial washroom accessories. So what makes ASI so unique? For starters, we offer the most comprehensive selection of washroom accessories available anywhere. And we offer them from one source. We design, engineer, and manufacture all of our products to work together seamlessly. Welcome to choice, welcome to innovations, welcome to the new ASI.

6

#### How to use this brochure:

This brochure offers three ways to navigate our comprehensive portfolio of washroom accessories:

- Navigate by collections a family of complimentary-designed products, see pages 6 & 7.
- 2 Navigate by specific product category, see pages 8 & 9.
- **3** Navigate the index by product category or model number, see pages 110-113.



# SO WHY CHOOSE US? THE ANSWER IS SIMPLE

Only ASI designs, engineers, and manufactures fully integrated washroom accessories, partitions, lockers, and visual display products from one source.

# The most innovative collection of — visual display products in the industry

ASI offers a broad array of surface options, including Porcelain, Glass, Cork, Fabric Tac<sup>\*</sup>, VinylTac, and Forbo<sup>\*</sup> that can be framed in a variety of trim systems and configurations. Add to that, the highest quality mobile units, directories, display cases, and coat racks—all from one source.

15 16

17

## Endless options in lockers -

A wide range of colors in materials including steel, solid plastic, and phenolic. Every configuration from single-tier to Z-Lockers, and styles from athletic lockers to cubbies.

## A wide variety of baby safe solutions

Tested with up to 400 lb. load capacity—the highest in the industry.

# No other manufacturer can do it all—it's that simple

Only ASI offers the most complete collection of products for the modern washroom, locker room, and any space where you need visual display products.

# Stability—peace-of-mind one warranty

Why juggle multiple manufacturers' warranties when you can have just one? With ASI you have the peace of mind that comes with dealing with a leader.

# The industry's most cutting-edge soap dispensers

From single dispensers to multi-feed systems, only ASI offers the easiest soap dispensers to install and maintain.

## From dispensers and much more

ASI offers the largest collection of hand dryers, paper towel dispensers, and washroom accessories in the industry.

# A wide array of mirror options

ASI offers mirrors for every application. Choose from channel frame, frameless, angle frame, tilting mirrors, and our exclusive Velare<sup>™</sup> BehindThe Mirror cabinet.

# And much, much more

This is just the beginning of what ASI has to offer. And if you need a product you don't see here, just call us at 914.476.9000 or visit www.asigroup.us

# Customer Centric Technology -ASI Access and Design Studio

Our 24/7 Customer Service Tool to create and track orders; to enter quotes and convert quotes to orders and to view invoices.

# Shower seats

A wide variety of folding and fixed shower seats that are easy to install and meet ADA safety standards.

# For discerning customers with prestigious projects

ASI Group products are featured in some of the world's most prominent projects. Whether you are at Apple's Headquarters in California, or Disneyland in Shanghai, chances are you've seen ASI.

# The latest collection of partitions

ASI offers the most comprehensive collection of solid plastic, plastic laminate, powder coated, phenolic, and stainless steel partitions from one source. European style and Ultimate Privacy™ configurations add functionality to elegance.

# Our innovations come from listening to your needs

At a recent professional sports complex project, an architect wanted a specific product. We customized and delivered hundreds of one-of-a-kind soap dispensing systems to meet their deadline.

## 48-hour delivery no one beats that

We are laser focused on delivering you exactly what you need—when you need it.





# SIX DISTINCT COLLECTIONS TO MATCH ANY AESTHETIC AND PERFORMANCE NEED



#### 1 **NEW Piatto™** Collection

6

ASI's distinctive new collection of washroom accessories is designed to stand apart by not standing out—making it integral with your washroom design. Each washroom accessory is designed to be completely recessed, lying perfectly in the plane of the washroom wall without any protrusion. All hinges are concealed and so is the internal latching system, leaving no visible hardware.



## 2 **NEW** Velare<sup>™</sup> Collection

An elegant space-saving solution, designed to tuck away clutter, this wall mounted stainless steel cabinet conceals an automatic soap dispenser, and your choice of a paper towel dispenser or high-speed hand dryer. The sophisticated design is ideal for iconic buildings—the dispensing capacity makes it ideal for any high-traffic environment. Another reason to specify ASI!



## 3 **Roval**<sup>™</sup> Collection

This elegant, durable, and exceptionally functional collection is engineered for highprofile settings. Subtle curves, one-piece seamless doors, and flush tumbler locks, along with fully removable waste cans, strong hinges, an integral locking system, and easy installation, make this collection ideal for the most aesthetically demanding applications. While ASI offers hundreds of individual accessories, we have simplified the specifying process with our six distinct collections to serve your project's individual needs. And each of our six collections was designed as a suite of products that complement one another. Welcome to aesthetics and function in perfect harmony. Welcome to the new ASI.



## 4 **Profile**<sup>™</sup> Collection

This visually appealing collection with rounded edges is manufactured with highly durable 16 gauge stainless steel doors and 20 gauge cabinets. Concealed heavy-duty ¾6" (5 mm) diameter piano hinges ensure smooth and long-lived operation, and rimless keyedalike flush tumbler locks offer strong security with an elegant look.



# 5 Simplicity™ Collection

This elegant collection combines seamless construction and crisp design lines to provide strength and comfort, beauty and durability, form and function. 18 gauge doors and 20 gauge cabinets conceal heavy-duty  $\frac{3}{16}$ " (5 mm) diameter piano hinges. All units are keyed alike.



# 6 Traditional<sup>™</sup> Collection

The traditional collection has easily passed the test of time. These high-value products feature 22 gauge double-pan doors incorporating a "no-flex" structural fiberboard core. 22 gauge cabinets, heavy-duty ¾6" (5 mm) diameter piano hinges, and keyed-alike tumbler locks complete this broad product line.



# WELCOME TO THE SINGLE LARGEST COLLECTION OF WASHROOM ACCESSORIES ANYWHERE—BAR NONE

Why mix and match disparate washroom accessory products from different manufacturers, when our company has designed, engineered, and manufactured everything you need from one source? Welcome to integrated solutions. Welcome to the new ASI.









**Specialty Accessories** 



**Soap Dispensers** 



**Feminine Hygiene Vendors and Disposals** 



**Toilet Tissue Dispensers** 



Our PaperTowel Dispensers, Waste Receptacles, and Combination Units can be found within our collections on pages 10–49.







**Baby Changing Stations** 



**Custodial Accessories** 



**Hospitality Accessories** 



**Shower/Tub Accessories** 



Shelves



**Healthcare Accessories** 



**Security Accessories** 



#### SHOWN: 6462-41 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



# **Piatto**™ Collection

ASI's distinctive new collection of washroom accessories is designed to stand apart by not standing out—making it integral with your washroom design. Each washroom accessory is designed to be completely recessed, lying perfectly in the plane of the washroom wall without any protrusion. The high-end door hinges, used to achieve this precise coplanar fit, are easily adjusted in the field. ½" (13 mm) Phenolic doors in matte black or white, close silently and effortlessly, and add an air of sophistication.

#### WHAT MAKES THE PIATTO™ COLLECTION UNIQUE?



#### UNIQUE DESIGN

The Piatto<sup>™</sup> collection is designed to be coplanar to the wall- an ASI exclusive.



ELEVATED STYLE – A NEW CHOICE Phenolic doors in matte black or white were

created to accentuate

your washroom design.

**INNOVATIVE HINGES** 

3-way, adjustable hinges allow flexibility in the field and are concealed along with all other hardware.



#### STANDS APART BY BLENDING IN

A combination of technology and design ensures a perfect fit adding to your design by not detracting from it.

## PIATTO<sup>™</sup> COLLECTION



#### THREE WAY ADJUSTABLE HINGE

An innovative hinge technology allows cabinet and doors to be completely recessed, with no protrusions from the plane of the wall surface. Doors can be adjusted in the field.

- Phenolic Doors
- Completely Recessed Mounting
- Concealed Internal Spring-Loaded Latch
- No Visible Hardware



11





#### 6474 PIATTO™ WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be completely recessed into the plane of the washroom wall. Stainless steel receptacle holds 12 gal. (46 L) of washroom waste materials. For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 171/4" x 40" x 69/16" (438 x 1016 x 166 mm)

ð

Finished Wall Opening\*: 17<sup>5</sup>/<sub>16</sub>" x 40<sup>1</sup>/<sub>16</sub>" x 6<sup>11</sup>/<sub>16</sub>" (440 x 1018 x 170 mm)



#### 64672-1 PIATTO™ COMPLETELY RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH SPEED HAND DRYER, AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be completely recessed into the plane of the washroom wall. Features a <15 second automatic hand dryer, dispenses 400 standard C-fold or 500 standard multi-fold paper towels with a waste capacity of 6.8 gal. (26 L). Dryer has 5-year warranty. 110-120V. Available in 208-240V (-2). For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 153/8" x 553/8" x 717/32"

(391 x 1407 x 191 mm)

Finished Wall Opening\*: 15<sup>7</sup>/<sub>16</sub>" x 55<sup>7</sup>/<sub>16</sub>" x 7<sup>5</sup>/<sub>8</sub>" (392 x 1408 x 194 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M



ð

#### 6457 PIATTO™ PAPER TOWEL DISPENSER

This unit comes with a phenolic door and concealed hardware, and is designed to be completely recessed into the plane of the washroom wall. Well-suited for smaller washroom with less space and traffic. Dispenses 350 C-fold or 475 multi-fold paper towels. For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 12<sup>3</sup>/4" × 17<sup>1</sup>/4" × 4<sup>9</sup>/16" (324 x 438 x 116 mm) Finished Wall Opening\*: 1213/16" x 175/16" x 43/4 (325 x 440 x 121 mm)



#### 64696A/AC PIATTO™ AUTOMATIC ROLL PAPER TOWEL **DISPENSER AND WASTE RECEPTACLE**

This unit comes with a phenolic door and concealed hardware, and is designed to be completely recessed into the plane of the washroom wall. No-touch unit dispenses a pre-set length per cycle from 8" (203 mm) wide, 800 ft. (244 m) long rolls. Includes 9.9 gal. (37.3 L) stainless steel waste receptacle. Battery powered. Available in AC Powered (AC). For matte black phenolic door use suffix -41, for white use -00.

Unit Size: 16<sup>1</sup>/<sub>16</sub>" x 41<sup>1</sup>/<sub>4</sub>" x 9<sup>11</sup>/<sub>16</sub>" (408 x 1048 x 246 mm) Finished Wall Opening\*: 16<sup>1</sup>/<sub>8</sub>" x 41<sup>5</sup>/<sub>16</sub>" x 10" (410 x 1049 x 254 mm)

All stainless steel is type 304 with satin finish, unless otherwise noted.

\*All Piatto™ models require finished wall openings for installation. The edges of the finished wall opening are meant to be visible after installation, hence edges must be flat, square, straight, and plumb-no rough or unsightly edges.

# **PIATTO** <sup>™</sup> COLLECTION





#### 6462 PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Dispenses 600 C-fold, 800 multi-fold, or 1,100 single-fold towels. 9 gal. (34 L) stainless steel waste receptacle. Towel dispensing slot has hemmedin rolled edge for snag-free dispensing and user safety. For matte black phenolic door use suffix -41, for white use -00.

**Unit Size:** 17<sup>1</sup>/<sub>4</sub>" x 54" x 6<sup>9</sup>/<sub>16</sub>" (438 x 1372 x 166 mm)

ð

**Finished Wall Opening\*:** 17<sup>5</sup>/<sub>16</sub>" x 54<sup>1</sup>/<sub>16</sub>" x 6<sup>11</sup>/<sub>16</sub>" (440 x 1373 x 170 mm)

#### 6467 PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Dispenses 600 C-fold or 800 multi-fold paper towels. Towel dispensing slot has hemmed-in rolled edge for snag-free dispensing and user safety. Includes 4.24 gal. (16 L) stainless steel waste receptacle. For matte black phenolic door use suffix -41, for white use -00.

**Unit Size:** 13" x 55" x 4<sup>9</sup>/<sub>16</sub>" (330 x 1397 x 116 mm) **Finished Wall Opening\*:** 13<sup>1</sup>/<sub>16</sub>" × 55<sup>1</sup>/<sub>16</sub>" × 4<sup>11</sup>/<sub>16</sub>" (332 × 1399 × 119 mm)



đ

#### 64623 PIATTO™ PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Well-suited for the smaller washroom with less space and traffic. Dispenses 350 C-fold or 475 multi-fold paper towels. Includes 2.2 gal. (8.4 L) stainless steel waste receptacle. For matte black phenolic door use suffix -41, for white use -00.

**Unit Size:** 14¼" x 28" x 4%/16" (362 x 711 x 116 mm) **Finished Wall Opening\*:** 14<sup>5</sup>/<sub>16</sub>" × 28<sup>1</sup>/<sub>16</sub>" × 4<sup>11</sup>/<sub>16</sub>" (364 × 713 × 119 mm)



#### 645210A/AC PIATTO™ AUTOMATIC ROLL PAPER TOWEL DISPENSER

This unit comes with a phenolic door and concealed hardware, and is designed to be *completely* recessed into the plane of the washroom wall. Proximity sensing no-touch unit dispenses an owner-adjustable length per cycle from 8" (203 mm) wide, 800 ft. (244 m) long rolls. Battery powered. Available in AC Powered (AC). For matte black phenolic door use suffix -41, for white use -00.

**Unit Size:** 16<sup>1</sup>/<sub>16</sub>" x 28" x 9<sup>13</sup>/<sub>16</sub>" (408 x 711 x 248 mm) **Finished Wall Opening\*:** 16<sup>1</sup>/8" x 28<sup>1</sup>/<sub>16</sub>" x 10" (410 x 713 x 254 mm)



13

SHOWN: 0661-T VELARE™ BTM SYSTEM – STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER



# NEW **Velare<sup>™</sup>** Collection

An elegant space-saving solution, designed to tuck away clutter, this wall mounted stainless steel cabinet conceals an automatic soap dispenser, and your choice of a paper towel dispenser or high-speed hand dryer

(Dryer Model 0196-equipped with a HEPA Filter). The sophisticated design is ideal for iconic buildingsthe dispensing capacity makes it ideal for any hightraffic environment. Another reason to specify ASI!

#### WHAT MAKES THE VELARE™ COLLECTION UNIQUE?



ARTFULLY CONCEALED Consumables are concealed behind the mirror to accentuate the overall style.



CONCEALED SOAP DISPENSER High-capacity foam or liquid soap dispenser makes

Velare<sup>™</sup> ideal for high

frequency use restrooms.

Towel

PAPER TOWEL OPTION

Velare<sup>™</sup> provides paper towels as an option for drying hands. 500 towel capacity.



#### HAND DRYER OPTION

Optional high-speed, low-decibel hand dryer is equipped with a HEPA filter.

#### **VELARE<sup>™</sup> COLLECTION**

#### ALL-IN-ONE CABINET HOUSES AN AUTOMATIC SOAP DISPENSER, AND YOUR CHOICE OF PAPER TOWEL DISPENSER OR HAND DRYER-NOW AVAILABLE WITH MIRROR FILLERS FOR FLEXIBILITY.

Backlit icons etched into the frameless mirror direct the user to their choice of soap and drying option. The self-contained design reduces hazards associated with wet floors. The 1/4" thick tempered glass mirror supported by twin, damped gas springs, opens up to 90° for easy maintenance.







#### 0661-1 VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120V)

Designed with elegance and safety in mind, this wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter.

#### MODEL OPTION:

**0661-2** Velare<sup>™</sup> Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208~240V).

#### **Overall Dimensions:**

23<sup>5</sup>/8" x 35<sup>7</sup>/16" x 7<sup>9</sup>/16" (600 x 900 x 192)



#### 0661-T VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and paper towel dispenser with a 500 towel capacity.

**Overall Dimensions:** 23<sup>5</sup>/8" × 35<sup>7</sup>/16" × 7<sup>9</sup>/16" (600 × 900 × 192)



#### 0661-FM-14 VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

#### **Overall Dimensions:**

14<sup>3</sup>/4" x 35<sup>7</sup>/<sub>16</sub>" x 7<sup>9</sup>/<sub>16</sub>" (375 x 900 x 192)



#### 0661-FM-23 VELARE™ STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from ¼" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

#### **Overall Dimensions:**

23<sup>1</sup>/4" × 35<sup>7</sup>/16" × 7<sup>9</sup>/16" (591 × 900 × 192)

# VELARE™ COLLECTION



#### 0663-1 VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND HIGH-SPEED HAND DRYER (110-120V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter.

#### MODEL OPTION:

0663-2 Velare<sup>™</sup> Stainless Steel Cabinet with Foam Soap and Hand Dryer (208~240V).

#### **Overall Dimensions:**

23<sup>5</sup>/8" × 35<sup>7</sup>/16" × 7<sup>9</sup>/16" (600 × 900 × 192)



#### 0663-T VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a 1.5 gal (6 L) capacity and paper towel dispenser with a 500 towel capacity.

#### **Overall Dimensions:**

23<sup>5</sup>/8" × 35<sup>7</sup>/16" × 7<sup>9</sup>/16" (600 × 900 × 192)

Aptly named **Velare**<sup>™</sup>, which means to veil, this elegant, space saving mirror cabinet lives up to its name by concealing a soap dispenser (liquid or foam) and your choice of a high-speed hand dryer or paper towel dispenser.

Velare<sup>™</sup> minimizes the hazards of water spilling on the floor by housing soap and drying components directly above the sink. The mirror, made of ¼<sup>\*</sup> thick tempered glass with pencil edges, is supported by twin damped gas springs, which allows the cabinet to be opened up to 90° for easy maintenance.

Backlit icons etched into the mirror intuitively indicate soap and drying options making this cabinet both elegant and easy to use. This marriage of elegance, safety, and functionality makes Velare<sup>™</sup> ideal for a wide range of building types, from sophisticated corporate headquarters to high traffic washrooms in entertainment centers and airports.









# **Roval**<sup>™</sup> Collection


Engineered for high-profile settings, this collection adds elegance, durability, and exceptional functionality to any washroom without becoming the focal point. This collection is ideal for the most aesthetically demanding applications. All features are functionally superior, quickly installed, and easily maintained.

## WHAT MAKES THE ROVAL<sup>™</sup> COLLECTION UNIQUE?




# STAINLESS STEEL CONSTRUCTION

Our collection is constructed of stainless steel, which is tough, durable, stainresistant, and easy to clean.



INTEGRAL LOCKING SYSTEM

Our durable, integral locking system prevents tampering and theft.



STAKED PIANO HINGES

Our heavy-duty, staked piano hinges provide security and a neat appearance, and they stand up to heavy use.



#### REMOVABLE WASTE RECEPTACLE

Fully removable waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

## $\textbf{ROVAL}^{\tiny M} \textbf{ COLLECTION}$



MANUAL AND AUTOMATIC PAPER TOWEL/ TOILET TISSUE DISPENSERS



MIRRORS



AUTOMATIC HAND DRYERS





#### 204623 ROVAL™ RECESSED PAPER TOWEL DISPENSER AND REMOVABLE WASTE RECEPTACLE

Dispenses 350 C-fold, 475 multi-fold paper towels. 3.0 gal. (11.2 L) removable stainless steel waste receptacle with a tumbler lock. 22 gauge stainless steel door in a satin finish with a flush lock and a heavy-duty  $\frac{3}{16}$ " staked piano hinge on door.

MODEL OPTION:

204623-9 Surface mounted with 9" stainless steel collar.

**Unit Size:** 12<sup>3</sup>/<sub>4</sub>" × 28" × 6<sup>1</sup>/<sub>2</sub>" (325 × 710 × 165 mm) **Wall Opening:** 11¼" x 26<sup>7</sup>/<sub>16</sub>" x 3<sup>15</sup>/<sub>16</sub>" (286 x 672 x 100 mm)



#### 20469 ROVAL<sup>™</sup> RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 14.8 gal. (56 L) removable waste receptacle. Door made of 18 gauge stainless steel with a heavy-duty  $\frac{3}{16}$ " staked piano hinge.

#### MODEL OPTION:

**20469-9** Surface mounted with 9" stainless steel collar.

**Unit Size:** 17<sup>3</sup>/<sub>8</sub>" × 56<sup>1</sup>/<sub>16</sub>" × 9" (441 × 1424 × 228 mm) Wall Opening: 15<sup>5</sup>/<sub>8</sub>" x 54<sup>3</sup>/<sub>8</sub>" x 4" (397 x 1381 x 102 mm)

# **R O V A L**<sup>™</sup> C O L L E C T I O N



#### 204692A ROVAL<sup>™</sup> AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Fabricated of 18 gauge stainless steel. 17.8 gal. (67.2 L) removable waste receptacle. Towel length is determined by owner by setting length, delay, and paper saver switches.

#### SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.

**Unit Size:** 17<sup>3</sup>/<sub>8</sub>" x 56<sup>1</sup>/<sub>16</sub>" x 11<sup>11</sup>/<sub>16</sub>" (441 x 1424 x 297 mm) Wall Opening: 15<sup>13</sup>/<sub>16</sub>" x 54<sup>11</sup>/<sub>16</sub>" x 10" (402 x 1389 x 254 mm)



# Column 2046921A ROVAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE FOR ADA COMPLIANCE

Smaller waste receptacle, 13.5 gal. (51.1 L), allows unit to be ADA compliant. Cabinet and frame fabricated of 22 gauge stainless steel. Internal shelf is ideal for paper towel storage. Towel length is determined by owner by setting length, delay, and paper saver switches.

#### SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.

**Unit Size:** 17<sup>3</sup>/8" × 56<sup>1</sup>/16" × 11<sup>11</sup>/16" (441 × 1424 × 296 mm) Wall Opening: 15<sup>13</sup>/<sub>16</sub>" x 54<sup>11</sup>/<sub>16</sub>" x 10" (402 x 1389 x 254 mm)





#### 20826 ROVAL<sup>™</sup> SURFACE MOUNTED WASTE RECEPTACLE

Receptacle front and sides fabricated of 20 gauge stainless steel with satin finish. 12.8 gal. (48.4 L) waste capacity.

#### MODEL OPTION:

20826-T Closed top, spring-loaded door. Capacity 12.8 gal. (48.4 L).

#### **Overall Dimensions:**

15<sup>1</sup>/<sub>8</sub>" x 23" x 8<sup>1</sup>/<sub>2</sub>" (384 x 584 x 216 mm)



#### 20458 ROVAL<sup>™</sup> SEMI-RECESSED REMOVABLE WASTE RECEPTACLE

Easy maintenance-removable 20 gauge stainless steel waste receptacle locks into cabinet with a tumbler lock for security. Capacity 11.2 gal. (42.6 L). Frame and cabinet fabricated of 22 gauge stainless steel with satin finish.

## Unit Size: 17<sup>3</sup>/<sub>8</sub>" x 27<sup>3</sup>/<sub>4</sub>" x 8<sup>15</sup>/<sub>16</sub>" (441 x 705 x 227 mm)

Wall Opening: 15<sup>3</sup>/<sub>4</sub>" × 26" × 3<sup>15</sup>/<sub>16</sub>" (400 × 660 × 100 mm)







#### 20852 ROVAL<sup>™</sup>SURFACE MOUNTED SANITARY WASTE RECEPTACLE

æ

Lid is drawn one-piece construction and is secured to the cabinet with a heavy-duty %4" multi-staked concealed piano hinge. Cabinet top and body fabricated of 22 gauge stainless steel. 1 gal. (3.7 L) waste capacity.

#### **Overall Dimensions:**

7<sup>1</sup>/<sub>4</sub>" x 10" x 3<sup>1</sup>/<sub>2</sub>" (185 x 253 x 89 mm)

#### 20470 ROVAL™RECESSED SANITARY ð NAPKIN DISPOSAL

Heavy-duty %4" staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge stainless steel with a satin finish. 1.0 gal. (3.7 L) waste capacity.

**Unit Size:** 12<sup>13</sup>/16" x 11" x 5<sup>7</sup>/16" Wall Opening:  $\begin{array}{c} 12^{13} / {}_{16}^{\text{\tiny H}} \times 11^{\text{\tiny H}} \times 5^{7} / {}_{16}^{\text{\tiny H}} & 15^{3} / {}_{4}^{\text{\tiny H}} \times 26^{\text{\tiny H}} \times 3^{15} / {}_{16}^{\text{\tiny H}} \\ (325 \times 280 \times 138 \text{ mm}) & (400 \times 660 \times 100 \text{ mm}) \end{array}$ 

#### 204684 ROVAL™ RECESSED DUAL SANITARY NAPKIN AND TAMPON DISPENSER

Dispenses 31 napkins and 22 tampons. Door has 18 gauge satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50 or -F).

#### MODEL OPTION:

Unit Size:

204684-9 Surface mounted with 9" stainless steel collar.

Wall Opening: 17<sup>5</sup>/16" x 27<sup>3</sup>/4" x 5<sup>5</sup>/8" 15<sup>3</sup>/4" x 26<sup>1</sup>/8" x 4" (440 x 705 x 143 mm) (397 x 664 x 102 mm)

# **R O V A L**<sup>™</sup> C O L L E C T I O N



#### 20452 ROVAL™ RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Door fabricated of 18 gauge drawn one-piece stainless steel with satin finish. Door secured with 3/16"staked piano hinge and flush tumbler lock.

**Overall Dimensions:** 12<sup>3</sup>/4" x 28" x 5<sup>7</sup>/16" (324 x 711 x 137 mm)



#### 204523A ROVAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel with satin finish. Towel length is determined by owner by setting length, delay and paper saver switches.

#### SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar.

**Unit Size:** 17<sup>3</sup>/<sub>8</sub>" × 27<sup>3</sup>/<sub>4</sub>" × 11<sup>11</sup>/<sub>16</sub>" (441 × 705 × 297 mm) Wall Opening: 15<sup>3</sup>/<sub>4</sub>" × 26" × 10" (400 × 660 × 254 mm)



#### 20210 ROVAL<sup>™</sup> SURFACE MOUNTED PAPER TOWEL DISPENSER

Dispenses 400 C-fold or 525 multi-fold paper towels. Fabricated of 22 gauge stainless steel with satin finish. Fitted with tumbler lock and heavy-duty stainless steel staked piano hinge.

#### **Overall Dimensions:**

11<sup>1</sup>/<sub>16</sub>" x 13<sup>9</sup>/<sub>16</sub>" x 4<sup>7</sup>/<sub>8</sub>" (281 x 345 x 124 mm)



#### 20030 ROVAL<sup>™</sup> SURFACE MOUNTED TWIN HIDE-A-ROLL TOILET TISSUE DISPENSER

Holds 2 rolls up to 5.25" (133 mm) diameter (double roll capacity 3600 sheets); top roll automatically drops in place when bottom roll is used up. Fabricated of 22 gauge satin finish stainless steel. Theft-resistant spindles with integral plated steel endpins.

#### MODEL OPTION:

**20031** With flange for semi-recessed mounting.

**Overall Dimensions:** 6<sup>1</sup>/<sub>16</sub>" x 12<sup>1</sup>/<sub>8</sub>" x 6<sup>1</sup>/<sub>2</sub>" (154 x 308 x 165 mm)



# Cit20477-SM ROVAL™ SURFACE MOUNTED<br/>SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge stainless steel with a satin finish.

# **Overall Dimensions:** 15<sup>3</sup>/<sub>4</sub>" × 11" × 2<sup>3</sup>/<sub>8</sub>"

(400 x 280 x 60 mm)





#### 9013 RECESSED STAINLESS STEEL BABY CHANGING STATION

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is fungus, bacteria, and high-impact-resistant plastic for easy cleaning. Its two part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

#### MODEL OPTION:

ð

9013-9 Surface mounted with 9" stainless steel collar.

#### **Overall Dimensions:**

Closed: Open: 37" x 25½" x 17¾" 37" x 25½" x 3/8" (940 x 648 x 451 mm) (940 x 648 x 10 mm)

Wall Opening: 34¼" x 22¾" x 3¾" (870 x 578 x 95 mm)




#### 9343 HORIZONTAL SURFACE MOUNTED ð SOAP DISPENSER

All-purpose valve dispenses liquid soaps with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

**Overall Dimensions:** 7<sup>1</sup>/4" × 6<sup>1</sup>/2" × 3<sup>11</sup>/16" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)



**Overall Dimensions:** 5½" x 10¾" x 4" (140 x 273 x 102 mm)



Products with this icon can dispense both soap and hand sanitizer.



MOUNTED LIQUID SOAP AND GEL HAND SANITIZER

Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AAsize batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). May be mounted to #FS-0300 stand.

**Overall Dimensions:** 51/2" x 107/8" x 4" (140 x 276 x 102 mm)



20363 ROVAL<sup>™</sup> SURFACE MOUNTED ð LIQUID SOAP DISPENSER

> Push button operation, valve needs no more than 5 lbs. of pressure to actuate. Dispenses liquid soap Capacity: 57 oz. (1.7 L).

## **Overall Dimensions:**

5½" x 10<sup>13</sup>/<sub>16</sub>" x 4" (139 x 274 x 102 mm) Spout Projection: 15/16" (24 mm)

# **ROVAL**<sup>™</sup> COLLECTION

White

GreenSpec



#### 20199 ROVAL<sup>™</sup> SEMI-RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel and uniquely complements the Roval™ Collection with its bowed face and gently radiused edges. 5-year warranty. Optional voltages available.

Unit Size: 11" x 15<sup>1</sup>/<sub>2</sub>" x 5<sup>23</sup>/<sub>32</sub>"

ð

Wall Opening: 10<sup>1</sup>/<sub>2</sub>" x 14<sup>5</sup>/<sub>8</sub>" x 3<sup>1</sup>/<sub>4</sub>" (267 x 371 x 83 mm)

(279 x 394 x 145 mm)

Decibel Level: 69 dB-A @ 2M







Satin look cover: ABS plastic with silver ions. Ergonomicno need to bend over or bend knees. Air blows down and back from vents above. No water splash-back. Ultra hygienic-over 99% of airborne bacteria is eliminated with the removable Triple HEPA Filter System. 5-year warranty. Optional voltages available.

#### MODEL OPTION: 20201 White finish.

3

**Overall Dimensions:** 12<sup>11</sup>/16" x 23<sup>1</sup>/8" x 7<sup>3</sup>/4" (322 x 588 x 196 mm)

Decibel Level: 62.9-67.2 dB-A @ 2M



#### 20655 ROVAL<sup>™</sup> STAINLESS STEEL MIRROR WITH **INTEGRAL SHELF**

The gently radiused edges provide added strength and complement the curves of the ASI Roval™ Collection. Mirror frame and 6" wide curved edge shelf are fabricated of 18 gauge stainless steel with satin finish. Mirror frame has polished seamless mitered corners and 0.25" (6.4 mm) thick plate glass mirror. Choice of sizes.

MODEL OPTION:

20650 Mirror without shelf.



#### 20692 ROVAL<sup>™</sup> SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel, the 6" wide shelf has a 3/4" (19 mm) gently radiused edge that uniquely complements the curves of the ASI Roval<sup>™</sup> Collection. Choice of sizes.

**Overall Dimensions:** 6" x 12"-72" (152 x 305-1829 mm)



25

SHOWN: 9469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



# **Profile**<sup>™</sup> Collection


Manufactured with highly durable stainless steel doors and cabinets, this visually appealing collection with rounded edges stands the test of time. Its concealed hinges ensure smooth and long-lived operation, and its locks offer strong security.

## WHAT MAKES THE PROFILE™ COLLECTION UNIQUE?




#### HEAVY-DUTY

Our 16 gauge stainless steel doors are attached to 20 gauge stainless steel cabinets with concealed <sup>3</sup>/n<sup>et</sup> (5 mm) diameter piano hinges to handle heavy use.



#### RIMLESS TUMBLER LOCKS

Our rimless flush tumbler locks that are keyed alike provide convenience and security with an elegant look.



#### **ROUNDED CORNERS**

All doors have vertical edges rounded to a  $^{3}/_{4}^{*}$  (19 mm) radius with welded corners for strength and to ensure no sharp edges for safety.



#### EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

### **PROFILE<sup>™</sup> COLLECTION**







#### PAPER TOWEL DISPENSERS



WASTE RECEPTACLES







#### 9462 PROFILE" RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold paper towels. 16 gauge stainless steel door. 9 gal. (34 L) stainless steel waste receptacle.

**Unit Size:** 17<sup>1</sup>/<sub>4</sub>" x 54" x 6<sup>15</sup>/<sub>16</sub>" (438 x 1372 x 176 mm) **Wall Opening:** 15<sup>3</sup>/<sub>4</sub>" × 52<sup>1</sup>/<sub>2</sub>" × 6" (400 × 1334 × 152 mm)

# **PROFILE**<sup>™</sup> COLLECTION



# .

#### 9467 PROFILE" RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 4.5 gal. (17 L) stainless steel waste receptacle. 16 gauge stainless steel door.

#### MODEL OPTIONS:

94676 dispenses 600 C-fold, 800 multi-fold, or 1100 singlefold towels and has push door. 8 gal. (30 L) waste capacity.

#### 9467

ð

**Unit Size:** 13" x 55" x 5<sup>3</sup>/<sub>16</sub>" (330 x 1397 x 132 mm)

(330 x 1397 x 183 mm)

#### **94676 Unit Size:** 13" x 55" x 7<sup>3</sup>/<sub>16</sub>"

Wall Opening: 111/2" x 531/2" x 41/4" (292 x 1359 x 108 mm)

Wall Opening: 111/2" x 531/2" x 61/4" (292 x 1359 x 159 mm)

#### 94696A PROFILE<sup>®</sup> AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 16 gauge stainless steel door. 10 gal. (37.8 L) stainless steel waste receptacle.

#### SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar. 94696: Mechanical lever dispenser.

**Unit Size:** 16<sup>1</sup>/<sub>16</sub>" x 41<sup>1</sup>/<sub>4</sub>" x 10<sup>11</sup>/<sub>16</sub>" (408 x 1048 x 272 mm)

ð

Wall Opening: 14<sup>5</sup>/<sub>8</sub>" × 39<sup>3</sup>/<sub>4</sub>" × 10" (371 × 1010 × 254 mm)





94623 PROFILE<sup>™</sup> RECESSED PAPER

WASTE RECEPTACLE

TOWEL DISPENSER AND

Dispenses 350 C-fold or 475 multi-fold

paper towels and has a built-in 2 gal.

16 gauge stainless steel door.

Unit Size:

14<sup>1</sup>/<sub>4</sub>" x 28" x 4<sup>15</sup>/<sub>16</sub>"

(7.6 L) stainless steel waste receptacle.

(362 x 711 x 125 mm) (324 x 673 x 108 mm)

Wall Opening:

12<sup>3</sup>/<sub>4</sub>" x 26<sup>1</sup>/<sub>2</sub>" x 4<sup>1</sup>/<sub>4</sub>"



#### 9452 PROFILE<sup>™</sup> RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. 16 gauge stainless steel door.



# 3457 PROFILE" RECESSED PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 475 multi-fold paper towels. 16 gauge stainless steel door.

Unit Size:	Wall Opening:
12 <sup>3</sup> /4" x 17 <sup>1</sup> /4" x 4 <sup>15</sup> /16"	11 <sup>1</sup> / <sub>4</sub> " × 15 <sup>3</sup> / <sub>4</sub> " × 4 <sup>1</sup> / <sub>4</sub> "
324 x 438 x 125 mm)	(286 x 400 x 108 mm)





Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening. 16 gauge stainless steel door.

 Unit Size:
 Wall Opening:

 14¹¼" × 28" × 4¹⁵/₁6"
 12³¼" × 26¹½" × 4¹¼"

 (362 × 711 × 125 mm)
 (324 × 673 × 108 mm)



#### 9474 PROFILE<sup>™</sup> RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (45.4 L) of washroom waste materials. 16 gauge stainless steel door.



#### 9468 PROFILE<sup>™</sup> RECESSED DUAL NAPKIN/ TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons using 25¢, 50¢, or free operation. Its door has 2 tumbler locks. Its inside coin box has a separately keyed lock. 16 gauge stainless steel door.

#### MODEL OPTION:

94684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size:	Wall Opening:
17 <sup>1</sup> /4" × 27 <sup>1</sup> /4" × 6 <sup>15</sup> /16"	16" x 26" x 6 <sup>1</sup> / <sub>4</sub> "
(438 x 692 x 176 mm)	(406 x 660 x 159 mm)

30 All stainless steel is type 304 with satin finish, unless otherwise noted.

# **PROFILE**<sup>™</sup> COLLECTION



#### 9471 PROFILE<sup>™</sup> RECESSED SANITARY NAPKIN DISPOSAL

Stainless steel unit features a self-closing push door that covers the disposal opening along with a removable 1.8 gal. (7 L) waste receptacle and 16 gauge stainless steel door.

Unit Size: 10<sup>5</sup>/8" x 19<sup>5</sup>/8" x 4<sup>15</sup>/16" (270 x 498 x 125 mm) (232 x 460 x 108 mm)

ð

#### Wall Opening: 91/8" x 181/8" x 41/4"



#### 9326 SURFACE MOUNTED LIQUID ð SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid soap, with a capacity of 52 fl. oz. (1.5 L).

#### Unit Size:

10<sup>1</sup>/<sub>4</sub>" × 6" × 7<sup>3</sup>/<sub>16</sub>" 9" x 47/8" x 41/4 (260 x 152 x 183 mm) (229 x 124 x 108 mm)

Wall Opening:

Spout Projection: 21/4" (57 mm)



#### 9343 HORIZONTAL SURFACE MOUNTED 3 SOAP DISPENSER

All-purpose valve dispenses liquid soap, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

#### **Overall Dimensions:**

7<sup>1</sup>/<sub>4</sub>" x 6<sup>1</sup>/<sub>2</sub>" x 3<sup>11</sup>/<sub>16</sub>" (184 x 165 x 94 mm)

Spout Projection: 15/16" (24 mm)



#### 9477 PROFILE<sup>™</sup> SURFACE MOUNTED TOILET SEAT COVER DISPENSER

Dispenses 500 seat covers. Fabricated of 16 gauge stainless steel.

#### MODEL OPTION: 9477-SM Surface mounted. Dispenses 250 seat covers.

Unit Size:  $17^{1}/_{4}$ " x  $12^{3}/_{4}$ " x  $3^{5}/_{16}$ "

Wall Opening: 15<sup>3</sup>/4" × 11<sup>1</sup>/4" × 2<sup>5</sup>/8" (438 x 324 x 73 mm) (400 x 285 x 67 mm)



#### 9030 SURFACE MOUNTED DUAL ROLL TOILET TISSUE ð DISPENSER

Stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to 51/4" (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

#### **Overall Dimensions:**

6" x 12" x 6<sup>1</sup>/<sub>4</sub>" (152 x 305 x 159 mm)



#### 9031 RECESSED DUAL ROLL ð TOILET TISSUE DISPENSER

Stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to  $5^{1}/_{4}$ " (135 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

Unit Size: 8" x 14" x 6<sup>1</sup>/<sub>4</sub>" (203 x 356 x 159 mm) with flange for recessing

Wall Opening: 61/4" x 121/4" x 33/8" (159 x 311 x 86 mm)



31

SHOWN: 6467 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



# **Simplicity**<sup>™</sup> Collection


Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty, and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

## WHAT MAKES THE SIMPLICITY<sup>™</sup> COLLECTION UNIQUE?




# STAINLESS STEEL CONSTRUCTION

Constructed with 18 gauge stainless steel doors and 20 gauge cabinets, which are attached with concealed <sup>3</sup>/<sub>16</sub>" (5 mm) diameter piano hinges for durability.



#### SEAMLESS ONE-PIECE COVER-ALL DOOR

The door is designed for a sleek and streamlined appearance, making it easy to maintain even with heavy use.



#### SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste and ensuring hygienic use.



#### EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

#### SIMPLICITY<sup>™</sup> COLLECTION



PAPER TOWEL DISPENSERS



FEMININE HYGIENE VENDORS



SOAP DISPENSERS









#### 6462 SIMPLICITY<sup>™</sup> RECESSED PAPER TOWEL DISPENSER AND WASTE ð RECEPTACLE

Dispenses 800 multi-fold or 600 C-fold towels, standard. Provided adapter allows the flexibility to change the capacity to up to 1,100 single-fold paper towels. 9 gal. (34 L) stainless steel waste receptacle. 18 gauge stainless steel door.

#### MODEL OPTIONS:

6462-2 Semi-recessed with 2" stainless steel collar. 6462-9 Surface mounted with 9" stainless steel collar.

## Wall Opening:

Unit Size: 

#### 6467 SIMPLICITY<sup>™</sup> PAPER TOWEL DISPENSER AND WASTE ð RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 4.24 gal. (16 L) stainless steel waste receptacle. 18 gauge stainless steel door.

#### MODEL OPTION:

6467-9 Surface mounted with 9" stainless steel collar.

Unit Size: 13" x 55" x 4<sup>3</sup>/<sub>4</sub>" (330 x 1397 x 121 mm) (292 x 1359 x 102 mm)

Wall Opening:  $11^{1}/_{2}$ " x  $53^{1}/_{2}$ " x 4"

## 64676 SIMPLICITY<sup>™</sup> PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-Fold, 800 multi-fold, or 1100 single-fold towels. 7 gal. (26.5 L) stainless steel waste receptacle. 18 gauge stainless steel door.

#### MODEL OPTIONS:

64676-2 Semi-recessed with 2" stainless steel collar. 64676-9 Surface mounted with 9" stainless steel collar.

# Unit Size:

 $\begin{array}{c} 13" \times 55" \times 6^{1} / _{2}" & 11^{1} / _{2}" \times 53^{1} / _{2}" \times 6" \\ (330 \times 1397 \times 165 \text{ mm}) & (292 \times 1359 \times 152 \text{ mm}) \end{array}$ 

Wall Opening:

# SIMPLICITY<sup>™</sup> COLLECTION





#### NEW

#### 646924A SIMPLICITY™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 mm) long rolls. 12 gal. (45.4 L) waste receptacle. Fabricated of 22 gauge stainless steel, 18 gauge door.

#### SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-9, AC, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -9: Surface mounted with 9" stainless steel collar.

**Unit Size:** 17<sup>1</sup>/4" × 56" × 10<sup>1</sup>/4" (438 × 1422 × 260 mm) Wall Opening: 15<sup>3</sup>/4" × 54<sup>1</sup>/2" × 4" (400 × 1384 × 102 mm)

#### 64672-1 SIMPLICITY™ RECESSED 3-IN-1 PAPER TOWEL DISPENSER, HIGH SPEED HAND DRYER AND WASTE RECEPTACLE

Paper towel dispenser with waste receptacle and < 15 second automatic hand dryer. Dispenses 500 multi-fold or 400 C-fold paper towels, and has a waste capacity of 6.8 gal. (26 L). 18 gauge stainless steel door. Dryer has 5-year warranty. 110-120V. Optional voltages available.

#### MODEL OPTIONS:

64672-2 Dryer Voltage is 208-240V Dryer. 64672 Cabinet only – no hand dryer included.

**Unit Size:** 15<sup>3</sup>/<sub>8</sub>" x 55<sup>3</sup>/<sub>8</sub>" x 7<sup>1</sup>/<sub>2</sub>" (391 x 1407 x 191 mm)

Wall Opening: 14<sup>3</sup>/<sub>32</sub>" x 54<sup>3</sup>/<sub>8</sub>" x 7<sup>1</sup>/<sub>4</sub>" (358 x 1381 x 184 mm)

GreenSpec

Decibel Level: 68.9-74.3 dB-A @ 2M







#### 0198-MH SAFE-DRI™ MENTAL HEALTH APPROVED RECESSED HIGHð. SPEED HAND DRYER

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Optional voltages available.

Unit Size: 12<sup>5</sup>/8" x 15<sup>3</sup>/4" x 5<sup>4</sup>/16"

11<sup>7</sup>/8" x 14<sup>3</sup>/4" x 5<sup>1</sup>/8" (320 x 400 x 140 mm)

**Decibel Level:** 66 dB-A @ 2M



Wall Opening:

#### 0135 TURBO-TUFF FULLY RECESSED ð HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, operates automatically using infrared sensor with auto-resetting thermostat. Owneradjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Optional voltages available.

Wall Opening: Unit Size: 12<sup>19</sup>/<sub>32</sub>" x 15<sup>3</sup>/<sub>4</sub>" x 4<sup>1</sup>/<sub>16</sub>" (320 x 400 x 103 mm) 12<sup>5</sup>/<sub>16</sub>" x 15<sup>3</sup>/<sub>16</sub>" x 3<sup>7</sup>/<sub>8</sub>" (313 x 386 x 98 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M



# 64623 SIMPLICITY<sup>™</sup> RECESSED PAPER TOWEL DISPENSER AND WASTE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2.2 gal. (8.4 L) stainless steel waste receptacle. 18 gauge stainless steel door.

MODEL OPTION:

64623-9 Surface mounted with 9" stainless steel collar.

Unit Size:  $14^{1}/_{4}$ " x 28" x 4<sup>3</sup>/<sub>4</sub>" (362 x 711 x 121 mm)

RECEPTACLE

Wall Opening: 12<sup>3</sup>/4" × 26<sup>1</sup>/2" × 4<sup>1</sup>/4" (324 × 673 × 108 mm)

# SIMPLICITY<sup>™</sup> COLLECTION







#### 645210A SIMPLICITY<sup>™</sup> AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Proximity sensing no-touch recessed unit dispenses an owner-adjustable length per cycle from 8" (205 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 20 gauge stainless steel with satin finish.

SUFFIX OPTIONS FOR **POWER/MOUNTING:** [A, A-6, A-9, AC, AC-6, AC-9]

ð

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar. 645210: Mechanical lever dispenser.

 Unit Size:
 Wall Opening:

 16³/₅0" × 28" × 9"
 15³/₄" × 26¹/₅² × 10¹/₄"

 (408 × 711 × 229 mm)
 (400 × 673 × 260 mm)

#### 64696 SIMPLICITY<sup>™</sup> RECESSED ROLL ð PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Mechanically dispenses 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls in pre-set lengths per stroke. 9.2 gal. (34.8 L) stainless steel waste receptacle. 18 gauge stainless steel door.

## MODEL OPTIONS:

64696-6 Semi-recessed with 6" stainless steel collar. 64696-9 Surface mounted with 9" stainless steel collar.

Unit Size: Wall Opening: 16<sup>1</sup>/<sub>16</sub>" x 41<sup>1</sup>/<sub>4</sub>" x 9<sup>5</sup>/<sub>8</sub>" 14<sup>5</sup>/8" x 39<sup>3</sup>/4" x 9<sup>1</sup>/4" (408 x 1048 x 245 mm) (371 x 1010 x 235 mm) 64696A SIMPLICITY<sup>™</sup> AUTOMATIC **RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE** RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 9.9 gal. (37.3 L) stainless steel waste receptacle. 18 gauge stainless steel door.

#### SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

ð

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar.

Unit Size: 16<sup>1</sup>/<sub>16</sub>" × 41<sup>1</sup>/<sub>4</sub>" × 10<sup>1</sup>/<sub>4</sub>" (408 x 1048 x 261 mm) (371 x 1010 x 254 mm)

Wall Opening: 14<sup>5</sup>/8" x 39<sup>3</sup>/4" x 10"



37



# 6457 SIMPLICITY<sup>™</sup> RECESSED PAPER TOWEL DISPENSER

Well-suited for the smaller washroom with less space and traffic, this unit dispenses 350 C-fold or 475 multi-fold paper towels. 18 gauge stainless steel door.

# Unit Size:

12<sup>3</sup>/<sub>4</sub>" × 17<sup>1</sup>/<sub>4</sub>" × 4<sup>1</sup>/<sub>2</sub>" (324 × 438 × 114 mm) Wall Opening: 11<sup>1</sup>/<sub>4</sub>" × 15<sup>3</sup>/<sub>4</sub>" × 4<sup>1</sup>/<sub>4</sub>" (286 × 400 × 108 mm)





# 6452 SIMPLICITY<sup>™</sup> RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. 18 gauge stainless steel door.

MODEL OPTION: 6452-9 Surface mounted with 9" stainless steel collar.

**Unit Size:** 14<sup>1</sup>/<sub>4</sub><sup>"</sup> × 28" × 4<sup>1</sup>/<sub>2</sub>" (362 × 711 × 114 mm) Wall Opening: 12<sup>3</sup>/4" × 26<sup>1</sup>/2" × 4<sup>1</sup>/4" (324 × 673 × 108 mm)



# 6459 SIMPLICITY<sup>™</sup> RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 4 gal. (15 L) of waste and has a self-closing panel that covers its opening. 18 gauge stainless steel door.

**Unit Size:** 14<sup>1</sup>/<sub>4</sub>" × 28" × 4<sup>1</sup>/<sub>2</sub>" (362 × 711 × 114 mm)

ð

# Wall Opening: 12<sup>3</sup>/4" × 26<sup>1</sup>/2" × 4<sup>1</sup>/4" (324 × 673 × 108 mm)



# 6474 SIMPLICITY" RECESSED WASTE RECEPTACLE

Stainless steel waste receptacle holds 12 gal. (46 L) of washroom waste materials. 18 gauge stainless steel door.

# MODEL OPTION: 6474-2 Semi-recessed with 2" stainless steel collar.

**Unit Size:** 17<sup>1</sup>/<sub>4</sub>" × 40" × 6<sup>3</sup>/<sub>4</sub>" (438 × 1016 × 171 mm) **Wall Opening:** 15<sup>3</sup>/4" x 38<sup>1</sup>/2" x 6<sup>1</sup>/4" (400 x 978 x 159 mm)

38 All stainless steel is type 304 with satin finish, unless otherwise noted.

# SIMPLICITY<sup>™</sup> COLLECTION



# 6468 SIMPLICITY<sup>™</sup> RECESSED DUAL NAPKIN/ TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F). Door has 2 tumbler locks, inside coin box has a separately keyed lock.

#### MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: 17<sup>1</sup>/<sub>4</sub>" × 27<sup>1</sup>/<sub>4</sub>" × 6<sup>1</sup>/<sub>2</sub>" (438 x 692 x 165 mm) Wall Opening: 16" x 26" x 6<sup>1</sup>/<sub>4</sub>" (406 x 660 x 159 mm)





Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" standard towel roll up to 800 ft. (244m) long and has stub roll capability for continuous dispensing.

# MODEL OPTION:

ð

68523A battery operated, surface mounted. 68523AC roll towel dispenser, 110-240V/AC, surface mounted. 68523AC-4 roll towel dispenser, 110-240V/AC, semi-recessed.

Unit Size:  $17^{5}/_{16}$ " x  $20^{3}/_{8}$ " x  $9^{1}/_{2}$ " (440 x 518 x 241 mm) Wall Opening: 15<sup>3</sup>/<sub>8</sub>" x 19" x 4" (391 x 483 x 102 mm)



# 6471 SIMPLICITY<sup>™</sup> RECESSED SANITARY NAPKIN DISPOSAL

Features a self-closing stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle. 18 gauge stainless steel door.

Unit Size: 10<sup>5</sup>/8" × 19<sup>5</sup>/8" × 4<sup>1</sup>/2" (270 x 498 x 114 mm) Wall Opening: 9<sup>1</sup>/<sub>8</sub>" x 18<sup>1</sup>/<sub>8</sub>" x 4" (232 x 460 x 102 mm)



6477 SIMPLICITY<sup>™</sup> RECESSED TOILET SEAT COVER DISPENSER ð

> Dispenses 500 seat covers. 18 gauge stainless steel door.

> > Wall Opening:

15<sup>3</sup>/<sub>4</sub>" x 11<sup>1</sup>/<sub>2</sub>" x 2<sup>1</sup>/<sub>2</sub>"

(400 x 292 x 64 mm)

Unit Size: 17<sup>1</sup>/4" x 12<sup>3</sup>/4" x 2<sup>7</sup>/8" (438 x 324 x 73 mm)



### 6326 SIMPLICITY<sup>™</sup> RECESSED LIQUID SOAP DISPENSER

Dispenser has a covered stainless steel soap tank attached to the door, which hinges out for easy filling and cleaning. Its all-purpose valve dispenses liquid soap, with a capacity of 47 fl. oz. (1.4 L).

Unit Size:  $10^{1}/_{4}$ " x 6" x  $4^{1}/_{8}$ " (260 x 152 x 105 mm)

Spout Projection: 21/2" (64 mm)

Wall Opening: 9" x 4<sup>7</sup>/8" x 4" (229 x 124 x 102 mm)

39

SHOWN: 0469 PAPER TOWEL DISPENSER AND WASTE RECEPTACLE



# **Traditional**<sup>™</sup> Collection


This time-honored collection provides exceptional value, offering a broad array of items for wellequipped washrooms. Double-pan doors incorporate a "no-flex" structural fiberboard core. Combining seamless construction and crisp design lines, this elegant collection provides strength, comfort, beauty, and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

# WHAT MAKES THE TRADITIONAL<sup>™</sup> COLLECTION UNIQUE?




# STAINLESS STEEL CONSTRUCTION

Fabricated with 22 gauge stainless steel with face trim, the recessed cabinet features one-piece construction with no miters or welding for durability.



# DOUBLE-PAN DOORS

The double-pan doors incorporate a "no-flex" structural fiberboard core, adding strength and endurance for long-term use.



# SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste, and ensuring hygienic use.



# EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

# TRADITIONAL<sup>™</sup> COLLECTION





PAPER TOWEL DISPENSERS



WASTE RECEPTACLES







# Ø462-AD TRADITIONAL™ RECESSED PAPER TOWEL DISPENSED AND WASTE DESERTOWEL **DISPENSER AND WASTE RECEPTACLE**

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) waste receptacle. Door and cabinet fabricated of 22 gauge stainless steel.

# MODEL OPTION:

0462-AD-9 Surface mounted with 9" stainless steel collar.

**Unit Size:** 14<sup>1</sup>/<sub>14</sub>" × 28" × 4<sup>1</sup>/<sub>4</sub>" (362 × 711 × 108 mm)

Wall Opening: 12<sup>3</sup>/<sub>4</sub>" x 26<sup>1</sup>/<sub>2</sub>" x 4" (324 x 673 x 102 mm)



# 0469 TRADITIONAL<sup>™</sup> RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

# MODEL OPTIONS:

0469-2 Semi-recessed with 2" stainless steel collar. 0469-9 Surface mounted with 9" stainless steel collar. 0469-BL 18 gal. (68 L) waste receptacle. Projects 8" (205 mm) from wall.

# Unit Size:

17<sup>1</sup>/<sub>4</sub>" x 56" x 4<sup>1</sup>/<sub>4</sub>" (438 x 1422 x 108 mm)

# Wall Opening:

15<sup>3</sup>/<sub>4</sub>" x 54<sup>1</sup>/<sub>2</sub>" x 4" (400 x 1384 x 102 mm)

# TRADITIONAL<sup>™</sup> COLLECTION





# 04697 TRADITIONAL<sup>™</sup> RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

# **MODEL OPTIONS:**

04697-4 Semi-recessed with 4" stainless steel collar. 04697-9 Surface mounted with 9" stainless steel collar. 04697-BL 18 gal. (68 L) waste receptacle, projects 4" (102 mm) from wall.

# Unit Size:

ð

17<sup>1</sup>/<sub>4</sub>" x 56" x 7<sup>1</sup>/<sub>4</sub>" (438 x 1422 x 184 mm) Wall Opening:

15<sup>3</sup>/<sub>4</sub>" x 54<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" (400 x 1384 x 184 mm)

# 04692A TRADITIONAL<sup>™</sup> AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

# SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar. 04692: Mechanical lever dispenser.

**Unit Size:** 17<sup>1</sup>/<sub>4</sub>" × 56" × 10<sup>1</sup>/<sub>4</sub>" (438 × 1422 × 260 mm)

ð

Wall Opening: 15<sup>3</sup>/<sub>4</sub>" x 54<sup>1</sup>/<sub>2</sub>" x 10" (400 x 1384 x 254 mm)







# 0467 TRADITIONAL<sup>™</sup> RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold paper towels. 7 gal. (26 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

# MODEL OPTIONS:

ð

0467-2 Semi-recessed with 2" stainless steel collar. 0467-9 Surface mounted with 9" stainless steel collar.

**Unit Size:** 13" x 55" x 6<sup>1</sup>/<sub>2</sub>" (330 x 1397 x 165 mm) Wall Opening: 111/2" x 531/2" x 61/4" (292 x 1359 x 159 mm)



# 046926 TRADITIONAL<sup>™</sup> SEMI-RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses single full width cut towel 12" (305 mm) long from pull-towel autocut dispenser. With manual override feed wheel on the side of the cabinet. 13.5 gal. (52 L) waste receptacle. Door and back fabricated of 18 gauge stainless steel.

# Unit Size:

17<sup>1</sup>/4" × 56" × 9<sup>1</sup>/4" (438 × 1422 × 235 mm) Wall Opening:  $15^{3}/4^{"} \times 54^{1}/2^{"} \times 4^{"}$ 

(400 x 1384 x 102 mm)

# **T R A D I T I O N A L** <sup>™</sup> C O L L E C T I O N





# 046921A TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 12 gal. (45.4 L) waste receptacle. Fabricated of 22 gauge stainless steel, 18 gauge door.

# SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).
AC: Powered by AC plug-in adapter.
-6: Semi-recessed with 6" stainless steel collar.
-9: Surface mounted with 9" stainless steel collar.

**Unit Size:** 17<sup>1</sup>/4" × 56" × 10<sup>1</sup>/4" (438 × 1422 × 260 mm) Wall Opening: 15<sup>3</sup>/<sub>4</sub>" × 54<sup>1</sup>/<sub>2</sub>" × 10<sup>1</sup>/<sub>4</sub>" (400 × 1384 × 260 mm)

# O46924A TRADITIONAL ™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Note: This product design has been updated and is now product number 646924A (A-9, AC, AC-9) of the Simplicity<sup>™</sup> Collection. See page 35.







Dispenses 350 C-fold or 500 multi-fold paper towels; well-suited for smaller washrooms with less space and traffic. Fabricated of 22 gauge stainless steel.

MODEL OPTION: 0457-9 Surface mounted with 9" stainless steel collar.

 Unit Size:
 Wall Opening:

 12³/4" × 17¹/4" × 4¹/4"
 11¹/4" × 15³/4" × 4" (286

 (324 × 438 × 108 mm)
 × 400 × 102 mm)



# 0452 TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Fabricated of 22 gauge stainless steel.

MODEL OPTION: 0452-9 Surface mounted with 9" stainless steel collar.



# 045224A TRADITIONAL<sup>™</sup> AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Dispenses pre-set length from 8" or 9" wide rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

### SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar. 045224: Mechanical lever dispenser.

**Unit Size:** 17<sup>1</sup>/<sub>4</sub>" × 30<sup>1</sup>/<sub>2</sub>" × 10<sup>1</sup>/<sub>4</sub>" (438 × 775 × 260 mm) Wall Opening: 15<sup>3</sup>/<sub>4</sub>" × 29" × 4" (400 × 737 × 102 mm)



045210A TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Dispenses pre-set length from 8" or 9" wide rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

## SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

Unit Size:

A: Powered by 4 D-size batteries (not included). AC: Powered by AC plug-in adapter. -6: Semi-recessed with 6" stainless steel collar. -9: Surface mounted with 9" stainless steel collar.

Wall Opening:



# Image: Section of the section of t

Stainless steel waste container locks into cabinet, removable for servicing. Fabricated of 22 gauge stainless steel.

MODEL OPTION: 0458-9 Surface mounted with 9" stainless steel collar.

**Unit Size: Wall Opening:** 17<sup>1</sup>/4" × 30<sup>1</sup>/2" × 8<sup>1</sup>/4" 15<sup>3</sup>/4" × 29" × (variable") (228 × 775 × 210 mm) (400 × 727 mm)

(438 x 775 x 210 mm) (400 x 737 mm) (4058 if 4" (102 mm) x 4" and 12 gals. (46 L);

[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if 1⁄2" (13 mm) x 7/2" (191 mm) and 12 gals. (46 L); 0458-DX if 8" (203 mm) x 4" (102 mm) and 18 gals. (68 L)]

# CESSED 04733 TRADITIONAL™ RECESSED WASTE RECEPTACLE

Self-closing panel covers the receptacle opening, removable 3 gal. (11.4 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

Unit Size:	Wall Opening:
14 <sup>1</sup> /4" x 28" x 4 <sup>1</sup> /2"	12 <sup>3</sup> /4" x 26 <sup>1</sup> /2" x 4"
(362 x 711 x 114 mm)	(324 x 673 x 102 mm)

# TRADITIONAL<sup>™</sup> COLLECTION



#### 0210 TRADITIONAL<sup>™</sup> SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with tumbler lock and heavy-duty stainless steel piano hinge.

# **Overall Dimensions:**

11" x 145/8" x 41/16" (279 x 371 x 103 mm)



0215 TRADITIONAL<sup>™</sup> SURFACE MOUNTED PAPER TOWEL DISPENSER-PETITE

Dispenses 200 C-fold or 275 multi-fold paper towels; well-suited for low traffic areas. Fabricated of 22 gauge stainless steel.

**Overall Dimensions:** 11" x 8" x 4" (279 x 203 x 102 mm)



# 0439 TRADITIONAL<sup>™</sup> RECESSED PAPER TOWEL DISPENSER

This cabinet has 2 push-up flaps for bottom-filling with towels and dispenses 600 C-fold or 800 multi-fold paper towels; designed to conceal the dispenser behind mirror or wall so only the towel tray opening is visible. Fabricated of 22 gauge stainless steel.

Note for Designers: Leave 6" min. (152 mm) clearance below towel tray opening for space to pull towels; units are installed before hanging mirror or applying finished wall.

# **Overall Dimensions:** 11<sup>1</sup>/<sub>2</sub>" x 18" x 4<sup>1</sup>/<sub>2</sub>" (292 x 457 x 108 mm)



## 8522 TRADITIONAL<sup>™</sup> SURFACE MOUNTED ROLL PAPER TOWEL DISPENSER

Mechanical unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

MODEL OPTIONS: 8523A Powered by 4 D-size batteries (not included). 8523AC Powered by AC plug-in adapter.

**Overall Dimensions:** 14" x 16" x 9<sup>1</sup>/2" (356 x 406 x 241 mm)





Holds standard paper towel roll up to 6" (152 mm) diameter; heavy-duty aluminum casting with satin-matte, silver-grey finish. Designed for controlled delivery of towels, and its concealed locking device on molded plastic spindle prevents theft.

# **Overall Dimensions:**

Unit measures 13" (330 mm) wide; projects 6" (152 mm) from wall.



## 0245-SS TRADITIONAL<sup>™</sup> SURFACE MOUNTED PAPER TOWEL DISPENSER


Fabricated of 22 gauge stainless steel. This unit dispenses 400 single-fold paper towels.

### **Overall Dimensions:** 11<sup>1</sup>/4" x 6<sup>1</sup>/4" x 5<sup>5</sup>/8"

(285 x 160 x 143 mm)







Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; holds 6.5 gal. (24.8 L) of waste.

**Overall Dimensions:** 14" x 18" x 6" (356 x 457 x 152 mm)



# O825 TRADITIONAL™ SURFACE<br/>MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 17 gal. (64 L) with top and bottom hemmed edges; interior hooks for liner.

# MODEL OPTION:

**0826** has 12 gal. (45.4 L) capacity with 151/4" x 23" x 8" (387 x 584 x 203 mm) dimensions.

# Overall Dimensions:

15³/4" x 217/8" x 11³/4" (400 x 556 x 298 mm)



## 0810 TRADITIONAL<sup>™</sup> FREESTANDING WASTE RECEPTACLE WITH TOP

Fabricated of 22 gauge stainless steel; holds 14.3 gal. (54 L); self-closing doors on top with vinyl wall bumpers, rubber feet and hooks for liners.

# MODEL OPTION:

ð

**0812** has 19.4 gal. (73.4 L) capacity with 13" x  $38^{1/2}$ " x  $12^{1/4}$ " (330 x 978 x 311 mm) dimensions.

# Overall Dimensions:

13" x 30<sup>1</sup>/<sub>2</sub>" x 12<sup>1</sup>/<sub>4</sub>" (330 x 775 x 311 mm)





# <sup>0827</sup> TRADITIONAL<sup>™</sup> SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

# **Overall Dimensions:** 10<sup>1</sup>/<sub>2</sub>" × 9" × 4<sup>3</sup>/<sub>4</sub>"

(267 x 229 x 121 mm)



# 0829 CORNER WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 16 gal. (60 L) of waste.

**Overall Dimensions:** 15" x 23" x 14<sup>1</sup>/<sub>2</sub>" (381 x 584 x 368 mm)

# 0811 TRADITIONAL<sup>™</sup> FREESTANDING OPEN WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 14.3 gal. (54 L); self-closing doors on top with vinyl wall bumpers, rubber feet and hooks for liners.

# MODEL OPTION:

**0813** has 19.4 gal. (73.4 L) capacity with 13" x 30" x  $12^{1/4}$ " (330 x 762 x 311 mm) dimensions.

**Overall Dimensions:** 13" x 22" x 12¼" (330 x 559 x 311 mm)

# **T R A D I T I O N A L** <sup>™</sup> C O L L E C T I O N



### 4004 TRADITIONAL<sup>™</sup> UNDER VANITY TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 300 C-fold or 475 multi-fold paper towels and has a waste capacity of 10 gal. (38 L). Waste disposal door is spring loaded to remain shut. Fabricated of 20 gauge stainless steel.

**Unit Size:** 17<sup>7</sup>/<sub>16</sub>" × 24" × 14<sup>7</sup>/<sub>16</sub>" (443 × 610 × 367 mm)

Under Mount Requirements: 17<sup>1</sup>/<sub>2</sub>" × 30" × 14<sup>1</sup>/<sub>2</sub>" (445 × 762 × 368 mm)

**Exposed Cabinet Size:** 13<sup>1</sup>/<sub>2</sub>" × 24" × 12<sup>1</sup>/<sub>2</sub>" (343 × 610 × 318 mm)



# of 1000 TRADITIONAL™ CIRCULAR COUNTER TOP WASTE CHUTE

Provides waste deposit access to receptacle (not furnished) placed directly below chute; made of heavy gauge stainless steel with rolled flange and exposed surfaces that have satin finish.

# MODEL OPTION:

**1000A** has a 9" (229 mm) outside diameter with a counter opening of  $8\frac{1}{3}$ " (206 mm) diameter.

**Counter Opening:** 

5<sup>3</sup>/<sub>4</sub>" (146 mm)

diameter

**Unit Size:** 6<sup>3</sup>/<sub>4</sub>" (171 mm) outside diameter



# Image: State State

Capacity of 1 package of C-fold paper towels for loading by pushing through hinged dispensing flaps. Loose waste receptacle to be placed directly below waste door on the vanity floor is provided. Capacity is 7.5 gal. (28 L).

**Unit Size:** 14<sup>1</sup>/<sub>4</sub>" x 15" x <sup>3</sup>/<sub>32</sub>" (362 x 381 x 2 mm) **Counter Opening:** 12<sup>1</sup>/<sub>2</sub>" × 13<sup>1</sup>/<sub>2</sub>" (318 × 343 mm)



# 1002 TRADITIONAL<sup>™</sup> COUNTER TOP MOUNTED PAPER TOWEL DISPENSER

Capacity of 1 package of C-fold paper towels for loading by pushing downward through hinged dispensing flaps.

**Unit Size:** 14<sup>1</sup>/<sub>4</sub>" × 6" × <sup>3</sup>/<sub>32</sub>" (362 × 152 × 2 mm)

ði

**Counter Opening:** 12<sup>1</sup>/<sub>2</sub>" × 4<sup>1</sup>/<sub>4</sub>" (318 × 108 mm)



# 1003 TRADITIONAL™COUNTER TOP MOUNTED WASTE RECEPTACLE

Push door is self-closing. A  $12^{"} \times 12^{"} \times 12^{"}$  (305 x 305 x 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

**Unit Size:** 14<sup>1</sup>/<sub>4</sub>" × 10" × <sup>3</sup>/<sub>32</sub>" (362 × 254 × 2 mm) **Counter Opening:** 8<sup>3</sup>/<sub>4</sub>" x 12<sup>1</sup>/<sub>2</sub>" (222 x 318 mm)





# TRI-*Umph*™ High-Speed Hand Dryer

This state-of-the-art, ergonomic, high-speed hand dryer is ultra-hygienic with an outstanding filter system. With air blowing down from vents above, users dry their hands in under 12 seconds. This hand dryer allows users to triumph over germs with fast drying time and an optional ceramic backsplash plate (AO247-TRBS) for extra protection from water splash-back. Easy to maintain, the TRI-*Umph*<sup>™</sup> highspeed hand dryer makes perfect sense to meet all washroom needs.

# WHAT MAKES TRI-Umph™ UNIQUE?



#### HIGH SPEED YET QUIETER AND ENERGY EFFICIENT

The TRI-*Umph*™ high-speed hand dryers take less than 12 seconds to completely dry hands.

Low Decibel Level: 62.9-67.2 dB-A @ 2M



ERGONOMIC This unit is wall mounted at a comfortable height in order to permit a natural posture while drying the user's hands.





# MOISTURE MANAGEMENT SYSTEM

Water blown from wet hands is pushed onto an absorbent and continuously evaporating ceramic plate, with any excess water channeled into a drip tray.



# TRIPLE FILTER

Over 99% of airborne bacteria and particles as small as 0.3 microns are eliminated with this hand dryer's removable three-layer filter system.

# Image: TRI-Umph<sup>™</sup> HIGH-SPEED HAND DRYER20200 SILVER AND BLACK20201 WHITE

# FEATURES

- Ultra-hygienic
- Energy efficient
- Quieter
- Fast drying
- Ceramic Evaporator Plate captures water droplets
- Drip Tray prevents puddles on the floor
- Easy to maintain
- Operating LED lights

# ULTRA HYGIENIC-THREE-LAYER FILTER

- HEPA—to capture airborne PARTICLES
- Antimicrobial—to fight BACTERIA
- Activated charcoal—to fight ODOR
- Comes with an Antimicrobial ABS Cover with Silver lons

# DIMENSIONS

Unit size is 12<sup>11</sup>/<sub>16</sub>" x 23<sup>1</sup>/<sub>8</sub>" x 7<sup>3</sup>/<sub>4</sub>" (322 x 588 x 196 mm)

Net weight: 19.8 lbs. (9 kg)

# VARIABLE SETTINGS

- Air flow can be lowered
- Heat can be turned on or off
- Save energy
- Reduce noise
- Gain operating flexibility

# **Optional Voltage Available**





White





# NEW

# 0661-1 VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER AND HIGH-SPEED HAND DRYER (110-120V)

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter. Available in 208-240V (0661-2).

#### Overall Dimensions:

23<sup>5</sup>/<sub>8</sub>" x 35<sup>7</sup>/<sub>16</sub>" x 7<sup>9</sup>/<sub>16</sub>" (600 x 900 x 192)

Decibel Level: 68-73.8 dB-A @ 2M



# NEW

## 0663-1 VELARE™ STAINLESS STEEL CABINET WITH FRA-MELESS MIRROR, FOAM SOAP DISPENSER AND HIGH-SPEED HAND DRYER (110-120V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter. Available in 208-240V (0663-2).

#### **Overall Dimensions:**

23<sup>5</sup>/8" x 35<sup>7</sup>/16" x 7<sup>9</sup>/16 (600 x 900 x 192)

Decibel Level: 68-73.8 dB-A @ 2M



All stainless steel is type 304 with satin finish, unless otherwise noted.

\*All Piatto™ models require finished wall openings for installation. The edges of the finished wall opening are meant to be visible after installation, hence edges must be flat, square, straight, and plumb—no rough or unsightly edges.

# HAND DRYFRS



# NEW

# 0192 TURBO Swift™ ADA HIGH-SPEED HAND DRYER

High-speed ADA-compliant automatic hand dryer has one piece stainless steel cover with satin finish and delivers eco-friendly and cost-saving performance. Includes adjustable infrared sensor and LED indicates power status and guides user towards air flow. Fast drying, <12 seconds. 110-120V.

**Overall Dimensions:** 6<sup>27</sup>/<sub>32</sub>" x 10<sup>1</sup>/<sub>16</sub>" x 4" (174 x 256 x 102 mm)



Decibel Level: 74 dB-A @ 2M





0196-41 TURBO-PRO™ HIGH-SPEED ADA HAND DRYER Elegant ADA-compliant, high-speed, automatic hand dryer. A HEPA filter is used to purify the air before it dries hands. The dryer provides operating flexibility-the owner controls air temperature as well as air speed. Fast drying, <15 seconds. Available in 110-120V (-1) and 208-240V (-2).

**Overall Dimensions:** 8<sup>5</sup>/<sub>8</sub>" x 13<sup>9</sup>/<sub>16</sub>" x 4" (219 x 345 x 102 mm)



Decibel Level: 68-73.8 dB-A @ 2M





### 0199-93 ASI TURBO-ADA ACCESSIBILITY COMPLIANT HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and automatic operation using infrared sensor with auto-resetting thermostat. Owner-adjustable air speed & temperature and on/off heating options with shut off when user removes hands from sensor zone. Standard white cover; optional bright or satin stainless steel finish. Available in 110-120V (-1), 208-240V (-2), and 277V (-3).

**Overall Dimensions:** 10<sup>5</sup>/8" x 8<sup>15</sup>/<sub>32</sub>" x 4" (270 x 215 x 102 mm)



Decibel Level: 68.9-74.3 dB-A @ 2M



# 0197 TURBO-DRI™ HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and powerful, yet quiet, with 60-second auto shut off; automatic operation using infrared sensor with auto-resetting thermostat. Heavy-duty, one-piece-formed unit in bright or satin stainless steel finish, or white porcelain enamel coated steel. Available in 115-120V (-1) and 208-240V (-2).

**Overall Dimensions:** 8<sup>1</sup>/<sub>16</sub>" x 11<sup>19</sup>/<sub>64</sub>" x 7<sup>5</sup>/<sub>64</sub>" (205 x 287 x 180 mm)





Decibel Level: 61.2-65.2 dB-A @ 2M

\*ADA Compliant using Semi-Recessed Kit #0119



53



# 0135 TURBO-TUFF FULLY RECESSED HIGH-SPEED HAND DRYER

Fast drying, <15 seconds, and operates automatically using infrared sensor with autoresetting thermostat. Owner-adjustable air speed & temperature and on/off heating options. Dryer automatically shuts off after time-out when user removes hands from sensor zone. Available in 110-120V (-1), 208-240V (-2), and 277V (-3).

# Unit Size:

12<sup>19</sup>/<sub>32</sub>" x 15<sup>3</sup>/<sub>4</sub>" x 4<sup>1</sup>/<sub>16</sub>" (320 x 400 x 103 mm)

Decibel Level: 68.9-74.3 dB-A @ 2M



Wall Opening:  $12^{5}/_{16}$ " x  $15^{3}/_{16}$ " x  $3^{7}/_{8}$ "

(313 x 386 x 98 mm)





# 0198-MH SAFE-DRI™ RECESSED MENTAL HEALTH APPROVED HIGH-SPEED HAND DRYER

Anti-ligature dryer operates automatically and is designed for Behavioral Health environments—angled top, welded corners, and single tube exhaust prevent looping, tying off, wedging, and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Available in 115-120V (-1) and 208-240V (-2).

# Unit Size:

12<sup>5</sup>/<sub>8</sub>" x 15<sup>3</sup>/<sub>4</sub>" x 5<sup>4</sup>/<sub>16</sub>" (320 x 400 x 140 mm)

Decibel Level: 66 dB-A @ 2M



Wall Opening:

12<sup>1</sup>/<sub>4</sub>" x 15<sup>3</sup>/<sub>16</sub>" x 5<sup>1</sup>/<sub>4</sub>"

(311 x 386 x 133 mm)



# 0141 PORCELAIR HAND DRYER

Fabricated of one-piece, heavy-duty cast aluminum with white enamel coating. Quick drying, <30 seconds, and no-touch, energy efficient operation. Dries both hands and face. 120V.

**Overall Dimensions:** 9<sup>7</sup>/<sub>16</sub>" x 9<sup>41</sup>/<sub>64</sub>" x 6<sup>3</sup>/<sub>8</sub>" (240 x 245 x 162 mm)

Decibel Level: 60-66 dB-A @ 2M





# 0165 PROFILE™ COMPACT HAND DRYER

Operates automatically from IR sensor that activates dryer when hands are placed in sensor zone. Motor and heating element have internal resetting automatic thermal protection. Fabricated of one-piece, heavy-duty cast aluminum with white enamel coating. Quick drying, <30 seconds. 115-240V.

**Overall Dimensions:** 11<sup>3</sup>/<sub>8</sub>" x 11<sup>7</sup>/<sub>2</sub>" x 3<sup>7</sup>/<sub>8</sub>" (289 x 285 x 99 mm)

Decibel Level: 66 dB-A @ 2M

# HAND DRYERS



# 9185-93 PROFILE™ HAND DRYER

Universal voltage; automatically adjusts to voltages of 100-240V. Quick drying, <25 seconds, and no-touch, energy efficient operation. Modern design and durable. Cover available in one-piece steel with porcelain enamel coating, or stainless steel in bright or satin finish.

MODEL OPTION: 0184 Surface mounted no-touch hand dryer, 277V.

**Overall Dimensions:** 14<sup>7</sup>/<sub>16</sub>" x 10<sup>13</sup>/<sub>16</sub>" x 3<sup>15</sup>/<sub>16</sub>" (367 x 275 x 100 mm)

Decibel Level: 69.2 dB-A @ 2M





### 20199 ROVAL<sup>™</sup> SEMI-RECESSED HIGH-SPEED HAND DRYER

This high-performing hand dryer, with a drying time of 10-15 seconds, has a cover made of 18 gauge stainless steel. Available in 120V (-1) and 240V (-2).

**Unit Size:** 11" x 15<sup>1</sup>/<sub>2</sub>" x 5<sup>23</sup>/<sub>32</sub>" (279 x 394 x 145 mm) Wall Opening: 10<sup>1</sup>/<sub>2</sub>" × 14<sup>5</sup>/<sub>8</sub>" × 3<sup>1</sup>/<sub>4</sub>" (267 × 371 × 83 mm)

Decibel Level: 69 dB-A @ 2M







#### 0195 PROFILE™ HAND DRYER WITH PORCELAIN ENAMEL COATED CAST IRON COVER

Universal voltage; automatically adjusts to voltages of 100 to 240 VAC - 50/60 Hz. Quick drying, <25 seconds, and no-touch, energy efficient operation. Modern design and durable.

**Overall Dimensions:** 15<sup>3</sup>/<sub>32</sub>" x 11<sup>7</sup>/<sub>32</sub>" x 3<sup>15</sup>/<sub>16</sub>" (383 x 285 x 100 mm)

Decibel Level: 69.2 dB-A @ 2M



## 0198-93 TURBO-DRI™ Jr. HIGH SPEED HAND DRYER

Powerful, fast drying, <15 seconds, yet quiet (69 dB-A); automatic operation and resetting thermostat with 2-second delayed turn off. Cover fabricated of heavy-duty, one-piece-formed steel with white enamel, or satin finish stainless steel. Available in 110-120V and 220-240V.

**Overall Dimensions:** 9<sup>25</sup>/<sub>32</sub>" × 6<sup>5</sup>/<sub>8</sub>" × 5<sup>13</sup>/<sub>32</sub>" (248.3 × 168.2 × 137.5 mm)



Decibel Level: 66 dB-A @ 2M



# EZ Fill<sup>™</sup> Top Fill Multi-Feed Soap Dispensing System

SHOWN: 0397-1AC EZ FILLTM WATER FAUCET – CHROME, 0394-1AC EZ FILLTM FOAM SOAP DISPENSER – CHROME, and 0394-1AC-41 EZ FILLTM FOAM SOAP DISPENSER – MATTE BLACK

# EZ FILL™ FEATURES

- Top-fill, expandable system
- Heavy-duty brass soap dispensers and water faucets with chrome plated and matte black finishes
- Available in liquid and foam soap
- Counter-mounted port has an anti-theft cover
- Easy to use
- This EZ FILL™ system is electrically operated using batteries or alternating current
- Anti-Rotation Flange




# SOAP DISPENSERS

# WHAT MAKES EZ FILL™ SOAP DISPENSING SYSTEM UNIQUE?



# MULTI-FEED SYSTEM

Using infrared sensors, each of up to 6 automatic soap dispensers is fed by its own controllable peristaltic pump.



EASY REFILL

Using a single soap reservoir, this top-fill system allows refill of up to 6 soap dispensers with 1 pour—for easy ongoing maintenance.



UNIVERSAL REMOTE


Controls all dispensers with one remote, allowing flexibility in settings with a choice of 4 presets.



# RANGE OF SIZES FOR ALL NEEDS

Holds 6 L of liquid soap to supply up to six (6) individual EZ FILL™ vanity mounted automatic soap dispenser units.

INDIVIDUAL							MULTI-FEED SYSTEM (UP TO 6)							
Individual vanity mounted automatic soap dispenser is refilled by removing 1 liter bottle from EZ FILL <sup>TM</sup> bracket under the counter.							The only top-fill soap dispensing system that can refill up to six soap dispensers with one pour.							
Soap Heads		Individual Chrome	6 Pack SKU <sup>1</sup>	Individual Matte Black	6 Pack SKU <sup>1</sup>	Soap Heads		Individual	6 Pack SKU <sup>1</sup>	Individual Matte Black	6 Pack SKU <sup>1</sup>			
0	ÿ	0391-1AC	0391-6-1AC	0391-1AC-41	0391-6-1AC-41	$\Diamond$	Ÿ	0390-1AC	0390-6-1AC	0390-1AC-41	0390-6-1AC-41			
LIQUID	<b>1</b> <sup>2</sup>	0391-1A	0391-6-1A	0391-1A-41	0391-6-1A-41	LIQUID	<b>†</b> <sup>2</sup>	0390-1A	0390-6-1A	0390-1A-41	0390-6-1A-41			
B	Ÿ	0394-1AC	0394-6-1AC	0394-1AC-41	0394-6-1AC-41	B	Ÿ	0393-1AC	0393-6-1AC	0393-1AC-41	0393-6-1AC-41			
FOAM	<b>1</b> <sup>2</sup>	0394-1A	0394-6-1A	0394-1A-41	0394-6-1A-41	FOAM	<b>1</b> <sup>2</sup>	0393-1A	0393-6-1A	0393-1A-41	0393-6-1A-41			



# TOP FILL, MULTI-FEED SYSTEM REQUIRES (A) AND (B)

(A) 0390 - Multi-Feed Kit<sup>3</sup> - Kit<sup>3</sup> includes a 6 Liter Soap Container, Top Fill Tube and Counter Fill Port with Cover

# EZ FILL™ ACCESSORIES

0390-BR- Optional Under Counter Mounting Bracket for

6 Liter Container

0390-R- Remote Control<sup>1</sup> to adjust liquid dispensing settings

<sup>1</sup> One Remote Control provided at no charge, with the 6 Pack SKU

<sup>2</sup> Powered by 6 D-size batteries (not included)

(B) Multi-Feed - Soap Dispenser Head(s)<sup>4</sup>

0390-ARK- Anti-Rotation Kit for all 0390 Series 0393-R- Remote Control<sup>1</sup> to adjust foam dispensing settings

Stand Alone Dispensers come standard with 1 Liter soap container

<sup>3</sup> Kit does not include soap dispenser heads
 <sup>4</sup> Soap Dispenser Heads do not come with Multi-Feed Kit



# 0397 EZ FILL™ WATER FAUCET – CHROME

Matching water faucet for EZ Fill<sup>™</sup> soap dispensing system. Constructed of chrome plated spout and battery or AC power operated, hands-free sensor housing with a highly polished, or matte black (-41) finish over all surfaces.



#### 

## 0362-41 AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER – MATTE BLACK

Stainless steel liquid soap and gel hand sanitizer dispenser with matte black finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has tamperresistant viewing window. Capacity: 27 oz. (0.8 L). Unit may be mounted to #FS-0300 stainless steel stand.

**Overall Dimensions:** 4<sup>13</sup>/<sub>16</sub>" x 10<sup>5</sup>%" x 4<sup>1</sup>%" (122 x 270 x 105 mm)



#### 

### 0362-41 AUTOMATIC SURFACE MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER – SATIN

Stainless steel liquid soap and gel hand sanitizer dispenser with satin finish and proximity sensor. Powered by 6 AA-size batteries (not included) and has tamperresistant viewing window. Capacity: 27 oz. (0.8 L). Unit may be mounted to #FS-0300 stainless steel stand.

**Overall Dimensions:** 4<sup>13</sup>/<sub>16</sub>" x 10<sup>5</sup>%" x 4<sup>1</sup>%" (122 x 270 x 105 mm)



### 20333 AUTOMATIC VANITY MOUNTED LIQUID SOAP DISPENSER

Unit has chrome plated brass on exposed surfaces. Powered by 4 D-size batteries (not included). LEDs indicate function, battery condition, and soap supply level on face front. Translucent tank. Capacity: 54 oz. (1.6 L) of liquid soap.

# **Overall Dimensions:**

4" x 21½" (102 x 546 mm)

Spout Projection: 31/8" (99 mm)



# 20334 AUTOMATIC VANITY MOUNTED FOAM SOAP DISPENSER

Unit has chrome plated brass on exposed surfaces. Powered by 4 D-size batteries (not included). LEDs indicate function, battery condition, and soap supply level on face front. Translucent tank. Capacity: 54 oz. (1.6 L) of foam soap.

# **Overall Dimensions:** $6^{3/4"} \times 16"$

B

(172 x 407 mm) Spout Projection: 3<sup>7</sup>/<sub>8</sub>" (99 mm)



## 0360 AUTOMATIC SURFACE MOUNTED LIQUID SOAP DISPENSER

Stainless steel soap dispenser in satin finish with proximity sensor. Powered by 6 AA-size batteries (not included) and has tamper-resistant viewing window, removable lid with special lock and key. Capacity: 35 fl. oz. (1 L).

# $\begin{array}{l} \textbf{Overall Dimensions:} \\ 4^{17}\!\!/\!\!32'' \times 9^{1}\!\!/\!\!4'' \times 4^{7}\!\!/\!\!8'' \\ (115 \times 235 \times 124 \text{ mm}) \end{array}$

in finish, unless otherwise noted. 💧 = LIQUID





0

Products with this icon can dispense both soap and hand sanitizer.

0

# **SOAP** DISPENSERS



# B **0336 VANITY MOUNTED MANUAL** FOAM SOAP DISPENSER

Plunger cap, stem and body, spout, escutcheon, and base sleeve fabricated of stainless steel. Soap container is translucent, shatter-resistant HDPE with 34 oz. (1 L) capacity.

# MODEL OPTION:

0336-D 6" (152 mm) spout projection.

Unit Size: 3<sup>1</sup>/<sub>2</sub>" x 15<sup>3</sup>/<sub>4</sub>" (87 x 271 mm)

Spout projection: 4" (102 mm)



# NEW

# 0334-S AUTOMATIC VANITY MOUNTED LIQUID SOAP AND GEL HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a satin finish. Capacity: 50.7 oz. (1500ml).

# MODEL OPTION:

0334-B Stainless steel with bright finish.

**Unit Size:** 1½" x 3<sup>13</sup>/<sub>16</sub>" (38 x 97 mm) (dispenser body only) Spout projection: 37/8" (98 mm)

#### ()NEW

# 0338 TOP FILL AUTOMATIC VANITY MOUNTED LIQUID SOAP DISPENSER

Anti-theft top opens with funnel that has built in key for neat and easy maintenance. LED ring indicates low liquid soap levels and incorrect soap. Smart Sensor prevents messy overfilling by beeping and flashing LED ring. AC Powered, 51 oz. (1.5 L) capacity.

**Unit Size:** 1½" x 5% " (38 x 137 mm) (dispenser body only) Spout projection: 37/8" (98 mm)



## 0332 VANITY MOUNTED MANUAL LIQUID SOAP DISPENSER

Corrosion-resistant valve with stainless steel spout and chrome plated brass escutcheon plate.

# **MODEL OPTIONS:**

	Capacity	Spout
0332	34 oz. (1.0 L)	4" (102 mm)
0332-C	20 oz. (0.6 L)	4" (102 mm)
0332-CD	20 oz. (0.6 L)	6" (152 mm)
0332-D	34 oz. (1.0 L)	6" (152 mm)

# Unit Size:

Δ

ð

 $3^{7/_{16}}$  x  $10^{21/_{32}}$ (87 x 271 mm)



#### B NEW

#### 0335-B AUTOMATIC VANITY MOUNTED FOAM SOAP AND HAND SANITIZER DISPENSER

Hands-free dispenser powered by 4 AA-size batteries (not included) or optional AC adapter (72-ACA, not included). Stainless steel body, all exposed stainless steel surfaces have a bright finish. Capacity: 50.7 oz. (1500 ml).

# MODEL OPTION:

0335-S Stainless steel with satin finish.

Unit Size: 11/2" x 313/16" (38 x 97 mm) (dispenser body only) Spout projection: 37/8" (98 mm)



### **0339 TOP FILL AUTOMATIC VANITY** MOUNTED FOAM SOAP DISPENSER

Anti-theft top opens with funnel that has built in key for neat and easy maintenance. LED ring indicates low foam soap levels and incorrect soap. Smart Sensor prevents messy overfilling by beeping and flashing LED ring. AC Powered, 51 oz. (1.5 L) capacity.

**Unit Size:** 1½" x 53/s" (38 x 137 mm) (dispenser body only)

Spout projection: 37/8" (98 mm)



59



# 0347 VERTICAL SOAP DISPENSER 0345 HORIZONTAL SOAP DISPENSER

40 fl. oz. (1.2 L) capacity liquid soap dispenser in stainless steel; satin finish comes with an all-purpose valve and a tamper-resistant refill indicator.

**0347 Unit Size:** 4<sup>13</sup>⁄<sub>16</sub>" x 8<sup>3</sup>⁄<sub>16</sub>" x 3<sup>15</sup>⁄<sub>16</sub>" (122 x 208 x 100 mm)

**0345 Unit Size:** 8<sup>3</sup>⁄16<sup>°°</sup> x 4<sup>13</sup>⁄16<sup>°°</sup> x 3<sup>15</sup>⁄16<sup>°°</sup> (208 x 122 x 100 mm)

Spout projection: 15/16" (24 mm)



# 9343 HORIZONTAL SURFACE MOUNTED LIQUID SOAP DISPENSER

All-purpose valve dispenses liquid soap, with a capacity of 48 fl. oz. (1.4 L). It has a tamper-resistant refill window with concealed fastening and vandal-resistant hinged filler-top.

**Overall Dimensions:** 7<sup>1</sup>/<sub>4</sub>" × 6<sup>1</sup>/<sub>2</sub>" × 3<sup>11</sup>/<sub>16</sub>" (184 × 165 × 94 mm)

Spout Projection: 15/16" (24 mm)



# 5001-SS DISPOSA-VALVE SURFACE MOUNTED LIQUID SOAP DISPENSER

Soap is forced through disposable valve by pulling a lever forward. Disposable cartridges are available to dispense soap, hand lotion, heavy duty cleaner, waterless cleaner, and antiseptic soap and are typically good for 1500 washings. Typical soap cartridges are super-concentrated cleansing formula approved for medical and food handling facilities. Fabricated of stainless steel.

**Overall Dimensions:** 4<sup>1</sup>/<sub>4</sub>" × 11" × 4" (108 × 279 × 102 mm)

 $\bigcirc$ 



(140 x 276 x 102 mm)



Hands-free liquid soap and gel hand sanitizer dispenser powered by 6 AAsize batteries (not included). Seamless drawn stainless steel cover. Translucent removable internal tank for easy-to-view level. LED indicates adjustment and operation. Capacity: 34 oz. (1 L). May be mounted to #FS-0300 stand.

= LIQUID

Overall Dimensions:

5<sup>1</sup>/2" x 10<sup>7</sup>/8" x 4" (140 x 276 x 102 mm)



320363 ROVAL™ SURFACE MOUNTED<br/>LIQUID SOAP DISPENSER

Push button operation, valve needs no more than 5 lbs. of pressure to actuate. Dispenses liquid soap Capacity: 57 oz. (1.7 L).

# **Overall Dimensions:**

 $\bigcirc$ 

5½" x 10<sup>13</sup>/<sub>16</sub>" x 4" (139 x 274 x 102 mm) Spout Projection: <sup>15</sup>/<sub>16</sub>" (24 mm)



Products with this icon can dispense both soap and hand sanitizer.

# SOAP DISPENSERS



# 0326 RECESSED HORIZONTAL LIQUID SOAP DISPENSER

Stainless steel with satin finish, all-purpose soap valve, 57 fl. oz. (1.7 L) liquid soap capacity.

**Unit Size:** 10¼" x 6" x 4½" (260 x 152 x 115 mm)

Wall Opening: 9" x 4<sup>7</sup>/<sub>8</sub>" x 4" (229 x 124 x 102 mm)

Spout Projection: 21/2" (64 mm)



O661-1 VELARE<sup>™</sup> STAINLESS STEEL CABINET WITH LIQUID SOAP DISPENSER AND HIGH-SPEED HAND DRYER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter.

# MODEL OPTION:

0661-2 Velare™ Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208~240V).

**Overall Dimensions:** 23<sup>5</sup>/8" × 35<sup>7</sup>/16" × 7<sup>9</sup>/16" (600 × 900 × 192)





This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter.

# MODEL OPTION:

**0663-2** Velare<sup>™</sup> Stainless Steel Cabinet with Foam Soap and Hand Dryer (208~240V).

**Overall Dimensions:**  $23^{5}/8^{"} \times 35^{7}/16^{"} \times 7^{9}/16^{"}$ (600 × 900 × 192)



White, high-impact plastic, proximity sensor, and powered by one 9V or 6 AA-size batteries (not included). Tamper-resistant soap level viewing window, swing open body with special lock and key. Capacity: 28 fl. oz. (0.8 L). May be mounted to #FS-0300 stand.

# **Overall Dimensions:**

45%" x 105/16" x 47/16" (118 x 262 x 113 mm)



O661-T VELARE™ STAINLESS STEEL CABINET WITH LIQUID SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and paper towel dispenser with a 500 towel capacity.

# **Overall Dimensions:**

23<sup>5</sup>/8" × 35<sup>7</sup>/16" × 7<sup>9</sup>/16" (600 × 900 × 192)



O663-T VELARE™ STAINLESS STEEL CABINET WITH FOAM SOAP DISPENSER, AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and paper towel dispenser with a 500 towel capacity.

**Overall Dimensions:** 23<sup>5</sup>/8" × 35<sup>7</sup>/16" × 7<sup>9</sup>/16"

(600 × 900 × 192)



61



# **Mirrors**

ASI provides mirrors for every location, application, and budget—in virtually any size available. Choose from a variety of reflective surfaces and wall mountings, as well as styles ranging from frameless mirrors to mirrors with shelves and tilting features. Mirror silver guaranteed for 15 years.

# SHOWN: 20650 ROVAL™ STAINLESS STEEL MIRROR

# **OPTIONAL REFLECTIVE SURFACES**

SUFFIX DESCRIPTION:

- B Tempered Glass ¼" (6 mm) polished tempered glass
- C Stainless Steel Mirrors Type 304 Stainless Steel polished to a #8 mirror finish
- D Lexan Dura-Mir<sup>™</sup> Fabricated of ¼" (6 mm) polycarbonate sheet
- E Plexiglas<sup>®</sup> ¼" (6 mm) acrylic plastic, lightweight and shatter-resistant
- L Laminated Glass 1/4" (6 mm) thick

Note for Designers: All of the above glazing options are particularly suited to applications where frequent breakage and/or security problems exist. These surfaces are best specified for use in prisons, schools, police stations, psychiatric wards, etc., where shards of broken glass might possibly be used as weapons. The reflective quality of these types of mirrors is not as true as plate glass.



# 0620 CHANNEL FRAME MIRROR

½" x ½" (13 x 13 x 13 mm) 20 gauge type 304 satin finish stainless steel channel is a one-piece roll formed member that encases mirror and backing revealing a tight mitered corner. Mirror is installed on two wall brackets and held secure by theft-resistant screws.



# 0605 ANGLE FRAME MIRROR WITH SHELF 0625 CHANNEL FRAME MIRROR WITH SHELF

18 gauge stainless steel shelf with satin finish and all edges returned and hemmed for maximum rigidity and safety. Shelf is welded to face frame and is 5" (127 mm) deep.

# MIRRORS





# **0535 FIXED TILT MIRROR**

Offers visibility for wheelchair patients. Frame fabricated of 20 gauge stainless steel with a satin finish. Mirror is tapered from 4" (102 mm) at top to 1" (25 mm) at bottom.





Fabricated of 20 gauge type 304 stainless steel polished to a #8 mirror finish with a 5/16" (8 mm) return. Provided with 1/4" (6 mm) thick concealed tempered masonite backing and 4 mounting holes.



# **0600 ANGLE FRAME MIRROR**

gauge type 304 stainless steel angle has corners heliarc welded, ground and polished smooth to a uniform satin finish. Mirror is installed on a concealed hanging bracket that locks onto top and bottom of frame by tamper-proof set screws. Back plate is one-piece, attached to frame with theft-resistant locking device.





# STEEL MIRROR

# 20655 ROVAL<sup>™</sup> STAINLESS STEEL MIRROR WITH INTEGRAL SHELF

Gently radiused edges match the ASI Roval™ design. Frame fabricated of 18 gauge type 304 stainless steel with satin finish and polished seamless mitered corners. 0.25" (6.4 mm) thick plate glass mirror.



# 8287 FRAMELESS MIRROR

Frameless mirrors offer clean lines to complement every type of interior design and are easy to care for. One-piece can be up to 28 sq. ft. (2.6 m<sup>2</sup>), as long as either H or W dimension is less than 84" (2134 mm). Mirrors larger than 28 sq. ft. (2.6 m<sup>2</sup>) or with either linear H or W dimension larger than 84" (2134 mm) shall be supplied as multiple pieces. Made of 1/4" polished plate glass.



# 0600-T ADJUSTABLE TILT MIRROR

Designed to provide easy visibility for wheelchair patients or return to upright position. Angle frame fabricated of 18 gauge stainless steel with corners welded and ground smooth. Tilts a full 6" (152 mm) with bottom mounted on full width stainless steel piano hinge.



	STANDARD MIRROR SIZES											
Width x Height	0535	0537	0600	0600-T	0605	0620	0625	8026	20650	20650-B	20655	20655-B
16" x 20" (41 x 51 cm)			-		-	-		-				
16" x 24" (41 x 61 cm)				-	-		-	-				
16" x 30" (41 x 76 cm)												
18" x 24" (46 x 61 cm)	-			-	-		=	-				
18" x 30" (46 x 76 cm)												
18" x 36" (46 x 91 cm)	-			-					-		-	-
20" x 60" (51 x 152 cm)												
24" x 24" (61 x 61 cm)												
24" x 30" (61 x 76 cm)					-							
24" x 36" (61 x 91 cm)	-						-					
24" x 42" (61 x 107 cm)												
24" x 48" (61 x 122 cm)												
24" x 60"(61 x 152 cm)												
24" x 72" (61 x 183 cm)												
30" x 36" (76x 91 cm)												
30" x 48" (76x 122 cm)												
36" x 36" (91x 91 cm)												
36" x 48" (91 x 122 cm)												
48" x 30" (122 x 76 cm)												
48" x 36" (122 x 91 cm)												
60" x 24" (152 x 61 cm)												
60" x 36" (152 x 91 cm)												
72" x 36" (183 x 91 cm)												

Custom sizes available upon request. Standard glazing is glass. See optional reflective surfaces on page 62.



# NEW

0661-1 VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER AND HIGH-SPEED HAND DRYER (110-120V)

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter.

## MODEL OPTION:

0661-2 Velare<sup>™</sup> Stainless Steel Cabinet with Liquid Soap and Hand Dryer (208~240V).

**Overall Dimensions:** 

23<sup>5</sup>/8" x 35<sup>7</sup>/16" x 7<sup>9</sup>/16" (600 x 900 x 192)



# NEW

# 0663-1 VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER AND HIGH-SPEED HAND DRYER (110-120V)

This wall mounted stainless steel cabinet conceals a hands-free automatic foam soap dispenser with a 1.5 gal (6 L) capacity and a high-speed hand dryer (110-120V) equipped with a HEPA filter.

#### MODEL OPTION:

0663-2 Velare<sup>™</sup> Stainless Steel Cabinet with Foam Soap and Hand Dryer (208~240V).

Overall Dimensions:  $23^{5}/8'' \times 35^{7}/16'' \times 7^{9}/16'''$  $(600 \times 900 \times 192)$ 



# NEW

0661-T VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, LIQUID SOAP DISPENSER AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and paper towel dispenser with a 500 towel capacity.

**Overall Dimensions:**  $23^{5}/8" \times 35^{7}/16" \times 7^{9}/16"$ 

(600 × 900 × 192)



# NEW

# 0663-T VELARE™ STAINLESS STEEL CABINET WITH FRAMELESS MIRROR, FOAM SOAP DISPENSER AND PAPER TOWEL DISPENSER

This wall mounted stainless steel cabinet conceals a hands-free automatic liquid soap dispenser with a 1.5 gal (6 L) capacity and paper towel dispenser with a 500 towel capacity.

**Overall Dimensions:** 23<sup>5</sup>/8" × 35<sup>7</sup>/16" × 7<sup>9</sup>/16" (600 × 900 × 192)



# MIRRORS



Wall mounted type 304 stainless steel cabinet filler module provides spacing between other Velare™ BTM modules where needed. Mirror is made from <sup>1</sup>/a" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

# **Overall Dimensions:**

14<sup>3</sup>/4" x 35<sup>7</sup>/16" x 7<sup>9</sup>/16" (375 x 900 x 192)



# NEW

### 0661-FM-23 VELARE<sup>™</sup> STAINLESS STEEL FRAMELESS MIRROR FILLER MODULE

Wall mounted type 304 stainless steel cabinet filler module provides spacing between other Velare<sup>™</sup> BTM modules where needed. Mirror is made from <sup>1</sup>/4" (6 mm) thick frameless tempered glass conforming to ASTM C-1048 with pencil edges and eased corners with SS sheet intermediate stiffener and SS back plate with integral welded support mounts.

 $\begin{array}{l} \textbf{Overall Dimensions:} \\ 23^{1}\!/_{4}" \times 35^{7}\!/_{16}" \times 7^{9}\!/_{16}" \\ (591 \times 900 \times 192) \end{array}$ 

# VELARE<sup>™</sup> COLLECTION

# ALL-IN-ONE CABINET HOUSES AN AUTOMATIC SOAP DISPENSER, AND YOUR CHOICE OF PAPER TOWEL DISPENSER OR HAND DRYER—NOW AVAILABLE WITH MIRROR FILLERS FOR FLEXIBILITY.

Backlit icons etched into the frameless mirror direct the user to their choice of soap and drying option. The self-contained design reduces hazards associated with wet floors. The  $1/4^*$  thick tempered glass mirror supported by twin, damped gas springs, opens up to 90° for easy maintenance.





# **Feminine Hygiene**

ASI offers a wide range of feminine hygiene dispensers and disposal units, available as fully recessed, semi-recessed, or surface mounted with various capacities. Type 304 stainless steel fabrication with satin finish on exposed surfaces and 18 gauge doors secured with concealed full length stainless steel hinges. Coin boxes are keyed separately from door lock for maximum security. Available for 25¢, 50¢, or free operation.

SHOWN: 0468 RECESSED SANITARY NAPKIN/TAMPON VENDOR





# 0464 SEMI-RECESSED SANITARY NAPKIN TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Furnished with an adjustable flange for recessing in wall depths from 1" to 6" (26 to 152 mm). Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F). Coin box has a separately keyed locked.

### MODEL OPTION:

0864 Surface mounted.

Unit Size: 13<sup>3</sup>/<sub>4</sub>" x 28<sup>1</sup>/<sub>8</sub>" x 6<sup>1</sup>/<sub>2</sub>" 12<sup>1</sup>/<sub>2</sub>" x 26<sup>1</sup>/<sub>2</sub>" x 1" to 6" (349 x 714 x 165 mm) (318 x 673 x 25 to 152 mm)

Wall Opening:





# 6468 SIMPLICITY™ DUAL NAPKIN/TAMPON VENDOR

Dispenses 30 feminine napkins and 27 tampons. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F). Its door has 2 tumbler locks. Coin box has a separately keyed lock.

# MODEL OPTION:

64684 designed for 4" (102 mm) wall opening; dispenses 15 napkins and 23 tampons.

Unit Size: 17<sup>1</sup>/<sub>4</sub>" × 27<sup>1</sup>/<sub>4</sub>" × 6<sup>1</sup>/<sub>2</sub>" (438 x 692 x 165 mm)

Wall Opening: 16" x 26" x 6<sup>1</sup>/<sub>4</sub>" (406 x 660 x 159 mm)





#### 0468 RECESSED SANITARY NAPKIN/ ð TAMPON VENDOR

Dispenses 30 napkins and 27 tampons. Fabricated of 18 gauge stainless steel. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F).

# MODEL OPTIONS:

0468-2 Semi-recessed with 2" stainless steel collar. 04684 Designed for 4" (102 mm) wall. Dispenses 15 napkins, 23 tampons.

Unit Size: 17<sup>1</sup>/<sub>4</sub>" x 27<sup>1</sup>/<sub>4</sub>" x 6<sup>1</sup>/<sub>2</sub>"

Wall Opening: 16" × 26" × 6" (438 x 692 x 165 mm) (406 x 660 x 152 mm)



### 204684 ROVAL<sup>™</sup> RECESSED DUAL SANITARY NAPKIN & TAMPON DISPENSER

Dispenses 31 napkins and 22 tampons. Door is 18 gauge satin finish stainless steel, with 2 flush tumbler locks. Universal coin mechanism allows for 25¢, 50¢, and free (no coin) operation. Choose appropriate suffix (-25, -50, or -F).

# MODEL OPTION:

204684-9 Surface mounted with 9" stainless steel collar.

# Unit Size:

17<sup>5</sup>/16" x 27<sup>3</sup>/4" x 5<sup>5</sup>/8"

Wall Opening: 17<sup>5</sup>/16" x 27<sup>3</sup>/4" x 5<sup>5</sup>/8" 15<sup>5</sup>/8" x 26<sup>1</sup>/8" x 4" (440 x 705 x 143 mm) (397 x 664 x 102 mm)



#### 6471 SIMPLICITY<sup>™</sup> RECESSED SANITARY ð NAPKIN DISPOSAL

Features a self-closing 20 gauge stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size: 10<sup>5</sup>/8" x 19<sup>5</sup>/8" x 4<sup>1</sup>/2" (270 x 498 x 114 mm) Wall Opening: 91/8" x 181/8" x 4" (232 x 460 x 102 mm)





# 9471 PROFILE<sup>™</sup> RECESSED SANITARY NAPKIN DISPOSAL

Features a self-closing 16 gauge stainless steel push door that covers the disposal opening along with a removable 1.9 gal. (7.2 L) stainless steel waste receptacle.

Unit Size:

Wall Opening: 10<sup>5</sup>/<sub>8</sub>" × 19<sup>5</sup>/<sub>8</sub>" × 4<sup>15</sup>/<sub>16</sub>" 9<sup>1</sup>/<sub>8</sub>" × 18<sup>1</sup>/<sub>8</sub>" × 4<sup>1</sup>/<sub>4</sub>"

(270 x 498 x 125 mm) (232 x 460 x 108 mm)

# FEMININE HYGIENE VENDORS AND DISPOSALS



# 0472 PARTITION MOUNTED DUAL ACCESS NAPKIN DISPOSAL

Unit serves two compartments mounted in partitions. Receptacle removable from one side for servicing and locks to back of cabinet by means of stainless steel clips. Self-closing doors on each side are mounted to cabinet with heavy-duty full length piano hinge. 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

# MODEL OPTION:

0472-1 Waste receptacle unit with lock.

**Unit Size:** 13" x 17<sup>1</sup>/4" x 4" (330 x 438 x 102 mm) **Partition Opening:** 11%" x 15%" (290 x 400 mm)



# 0473 RECESSED SANITARY NAPKIN DISPOSAL

Unit features self-closing door and is fabricated of 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

MODEL OPTION: 0473-1 Waste receptacle unit with lock.

 Wall Opening:

 13" x 17<sup>1</sup>/<sub>4</sub>" x 4<sup>1</sup>/<sub>4</sub>"

 11'/<sub>4</sub>" x 15<sup>3</sup>/<sub>4</sub>" x 4"

 (330 x 438 x 108 mm)

 (285 x 400 x 102 mm)



# 0473-A SURFACE MOUNTED END STALL SANITARY NAPKIN DISPOSAL

Unit features self-closing door and is fabricated of 22 gauge stainless steel. Capacity: 1.5 gal. (5.7 L).

MODEL OPTION: 0473-1A Waste receptacle unit with lock.

**Overall Dimensions:** 11" x 15<sup>1</sup>⁄<sub>4</sub>" x 4" (279 x 387 x 102 mm)



0852 SURFACE MOUNTED SANITARY NAPKIN DISPOSAL

Sloping cover has full length piano hinge. Fabricated of 22 gauge stainless steel. Capacity: 1.2 gal. (4.5 L).



ð



## Control 20470 ROVAL<sup>™</sup> RECESSED SANITARY NAPKIN DISPOSAL

Heavy-duty  $\frac{4}{64}$ " staked piano hinge adds to the robust construction. Drawn one-piece seamless door of 22 gauge stainless steel with a satin finish. 1.0 gal. (3.8 L) waste capacity.

**Overall Dimensions:** 12<sup>13</sup>/<sub>16</sub>" x 11" x 5<sup>7</sup>/<sub>16</sub>" (325 x 280 x 138 mm)



# Cit20852 ROVAL™ SURFACE MOUNTED<br/>SANITARY WASTE RECEPTACLE

Lid is drawn one-piece construction and is secured to the cabinet with a heavy-duty  $\frac{4}{44}$ " multi-staked concealed piano hinge. Fabricated of 22 gauge stainless steel. Capacity: 1 gal. (3.8 L).

**Overall Dimensions:** 7<sup>1</sup>/<sub>4</sub>" × 10" × 3<sup>1</sup>/<sub>2</sub>" (185 × 253 × 89 mm)





# **Specialty Accessories**

With an extensive portfolio of washroom accessories, ASI can provide whatever you need to promote the neat and orderly use of your facilities. These designs reflect our attention to detail for durability and easy maintenance.

SHOWN: 0785-Z TOWEL RING





# 7385 TOWEL RING

ð

For bath and hand towels. Ring is 4½" (114 mm) wide, made of ¼" (6 mm) diameter stainless steel bar. Projects 2½" (64 mm) from wall. 5" (127 mm) high.



Heavy-duty 11 gauge stainless steel with satin finish. Hook projects 1¼" (32 mm) from wall and is 2¼" (57 mm) high.





Fabricated from chrome plated brass, 3" (76 mm). Neoprene bumper protects wall surface.

# 0719 DOOR BUMPER

Chrome plated Zamac 2<sup>3</sup>/16" (56 mm) diameter flange. Projects 1<sup>7</sup>/8" (48 mm).



3 0745-Z DOUBLE ROBE HOOK

Fabricated from triple chrome plated rust-resistant Zamac.


MODEL OPTION: 0740-Z Single robe hook.




7340 SINGLE ROBE HOOK

Fabricated from stainless steel. Hook extends 2" (51 mm) from wall.






4" (102 mm) wide stainless steel bar forms hook at each end. Unit extends 2" (51 mm) from wall.



**Overall Dimensions:** 2" x 7" x 3" (51 x 178 x 76 mm).

MODEL OPTION: 0751-A Exposed mounting, satin chrome plated brass projects 3<sup>1</sup>/<sub>4</sub>" (83 mm).



Bracket formed of Zamac and towel ring formed of triple chrome plated corrosion-resistant steel.

Overall Dimensions:

6³/8" x 15/8" (162 x 41 mm)





7301-B TOWEL PIN

Fabricated from stainless steel with bright finish.

Extends 3½" (89 mm) from wall. MODEL OPTION:

**7301-S** Towel pin with satin finish.

**Overall Dimensions:** 2" × 2" × 3<sup>1</sup>/<sub>2</sub>" (51 × 51 × 89 mm)



 0712 SURFACE-MOUNTED

 RETRACTABLE

 CLOTHES LINE

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.

# 0002-SM STAINLESS STEEL PAPER CUP DISPENSER

ð

Dispenses 100 flat bottom cups. Adjustable for 3 oz. through 6 oz. cups. Stainless steel with bright finish.

MODEL OPTION: 0002-ASM A square version of the unit.

Overall Dimensions: 3" Diameter x 15" (76 x 381 mm)



# 7320 SOAP DISH

đ

Drawn, one-piece stainless steel soap dish welded to support arm and flange. Has two drain holes and two ridges to support bar of soap.

MODEL OPTION: 0721-Z Fabricated from triple chrome plated rust-resistant Zamak.

**Overall Dimensions:** 4<sup>1</sup>/<sub>4</sub>" × 2" × 4" (108 × 51 × 102 mm)





Drawn, one-piece toothbrush holder is made of stainless steel. Has 2¼" (60 mm) diameter hole in center of unit to hold tumbler. Accommodates 6 toothbrushes.

MODEL OPTION:

**0735-Z** Fabricated from triple chrome plated rust-resistant Zamak.

**Overall Dimensions:** 4<sup>1</sup>/<sub>4</sub>" × 2" × 4" (108 × 51 × 102 mm)







#### 7310-B TOWEL SHELF WITH TOWEL BAR

8" (203 mm) deep consisting of four 3/4" (10 mm) diameter bright finish stainless steel tubes, with  $^{1\!/}_{4}$  " (6 mm) diameter bright finish stainless steel towel bar below shelf, available in 18" (457 mm) and 24" (610 mm). Overall height: 41/4" (110 mm).

#### MODEL OPTION:

7310-S Towel shelf with satin finish.



#### 7311-B TOWEL SHELF WITH TOWEL BAR

Heavy-duty unit with 3/4" (19 mm) diameter drying rod and 3/8" (10 mm) diameter cross tubes in stainless steel. Bright finish only. Available 20" (508 mm) and 24" (610 mm). Overall height: 61/2" (165 mm); projects 8" (203 mm).



#### 0755-Z ROUND TOWEL BAR

Triple chrome plated rust proof Zamak brackets. Triple chrome plated steel tubing 18", 24", and 30" (457, 610, and 762 mm) long.





Mounts through partition, usable by both sides but serviced from one side. Holds 4 rolls of toilet tissue.

#### MODEL OPTIONS:

04813-HC One side mounts flush. 04823 Holds two rolls. 04833 With stainless steel collar for surface mounting.

Unit Size: 173/8" x 20" x 41/4" (441 x 508 x 108 mm) **Partition Opening:** 15<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>4</sub>" (394 x 464 mm) adjustable for partitions in thickness from

1/2" to 2" (13 to 51 mm)





0481 PARTITION MOUNTED DUAL ACCESS SEAT COVER AND TOILET TISSUE DISPENSER WITH SANITARY DISPOSAL

Mounts through partition usable by both sides but serviced from one side. Holds 1000 seat covers and 4 rolls of toilet tissue.

**MODEL OPTIONS:** 0481-HC One side mounts flush. 0482 For end-stall installation. 0483 With stainless steel collar for surface mounting.

#### Unit Size:

ð

17%" x 30%" x 4<sup>1</sup>/4" (441 x 778 x 108 mm)

Partition Opening: 15<sup>1</sup>/<sub>2</sub>" x 28<sup>7</sup>/<sub>8</sub>" (394 x 733 mm) adjustable for partitions in thickness from <sup>1</sup>/<sub>2</sub>" to 2" (13 to 51 mm)



SHOWN: 74022-H TOILET TISSUE DISPENSER



# **Toilet Tissue Dispensers**


ASI offers many different designs and styles to complement the features of your washroom setting. Engineered for heavy-duty use and easy maintenance, these units stand the test of time. Choose from a wide range of features, based on your own washroom needs. All of these options are easy to install, easy to use, durable, and affordably priced.

#### WHAT MAKES THESE DISPENSERS UNIQUE?




## STAINLESS STEEL CONSTRUCTION

Our dispensers are made of stainless steel, which is a tough, durable material that is stain-resistant and easy to clean.




TUMBLER LOCKS

Our tumbler locks provide convenience and security with an elegant look.



SAFE EASY DISPENSING

Dispensing and storage options vary, from single roll to multiple rolls or jumbo roll dispensers.



#### VIEWING SLOT

Slot in front cover of jumbo roll dispensers provides easy visual indication of remaining tissue supply.

### **TOILET TISSUE DISPENSERS**

#### FEATURES

- Easy to use and clean
- Spring-loaded chrome roller may apply
- Theft-resistant spindle and vandal-resistant locking device options
- Some models have built-in storage for additional rolls

#### DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.





## 9030 PROFILE™ SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Stainless steel cabinet with mechanism for theft-resistant spindles holds 2 rolls up to 51/4" (133 mm) diameter (1800 sheets); the top roll automatically drops in place when the bottom roll is used up.

#### **Overall Dimensions:** 6" x 12" x 6<sup>1</sup>/<sub>4</sub>"

(152 x 305 x 159 mm)





#### 0030 SURFACE MOUNTED DUAL ROLL TOILET TISSUE DISPENSER

Holds two rolls up to 51/4" (133 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Stainless steel cabinet and mechanism. Theft-resistant spindles.

**Unit Size:** 6" x 12" x 6½" (152 x 305 x 165 mm)



#### **0032 PARTITION MOUNTED DUAL** ð ACCESS DUAL ROLL TOILET TISSUE DISPENSER

Serves two toilet compartments by mounting through partition. Dispenses 4 toilet tissue rolls. Adjustable to accommodate partitions from 1/2" to 11/4" thick (13 to 32 mm).

**Unit Size:** 14" x 14<sup>1</sup>/<sub>8</sub>" x 10"









#### 0031 RECESSED DUAL ROLL TOILET TISSUE DISPENSER

Holds two rolls up to 51/4" (133 mm) diameter (1800 sheets). Top roll automatically drops in place when bottom roll is used up. Stainless steel cabinet and mechanism. Theft-resistant spindles. Includes stainless steel flange for recess mounting.

## TOILET TISSUE DISPENSERS



#### 0039 SURFACE MOUNTED LOW PROFILE TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER

Holds two 9" (229 mm) diameter rolls of 2<sup>1</sup>/<sub>4</sub>" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge stainless steel with a satin finish. Door is hung on heavy-duty stainless steel pivot hinges. Equipped with tumbler lock.

#### **Overall Dimensions:**

20½" x 11¾6" x 4<sup>11</sup>/16" (521 x 284 x 119 mm)



#### 0040 SURFACE MOUNTED TWIN 9" JUMBO ROLL TOILET TISSUE DISPENSER

Holds two 9" (229 mm) diameter rolls of 2<sup>1</sup>/<sub>4</sub>" or 3" (57 or 76 mm) diameter core. When one roll is depleted, slide panel to expose other roll. Door cabinet and mounting plate fabricated of 18 gauge stainless steel with a satin finish. Two viewing slots reveal toilet tissue rolls inside. Equipped with tumbler lock.

Overall Dimensions:  $20^{13}/_{16}$ " x  $11^{3}/_{8}$ " x  $6^{3}/_{16}$ " (529 x 289 x 157 mm)





#### 0042 SURFACE MOUNTED JUMBO ROLL TOILET TISSUE DISPENSER

Holds one roll up to 10" (254 mm) diameter of 1%" or 2¼" (41 or 57 mm) diameter core. Outer cabinet is stainless steel with a satin finish. Unit has viewing slot and tumbler lock.

#### **Overall Dimensions:**

10<sup>5</sup>/<sub>8</sub>" x 10<sup>5</sup>/<sub>8</sub>" x 4<sup>1</sup>/<sub>2</sub>" (270 x 270 x 114 mm)





#### 74022-H RECESSED DOUBLE TOILET TISSUE HOLDER WITH HOOD

Recessed dual roll toilet paper holder with hood is fabricated of stainless steel. Rollers are made of chrome plated ABS and spring-loaded.

#### MODEL OPTIONS:

74022 Same as 74022-H but without hood. 7402 Single roll unit. 7402-H Single roll unit with hood.

**Overall Dimensions:** 

12<sup>5</sup>/<sub>8</sub>" x 6<sup>5</sup>/<sub>16</sub>" (320 x 160 mm)



77



#### 0263-1 SURFACE MOUNTED SINGLE ROLL TOILET TISSUE DISPENSER

Single roll toilet tissue dispenser with controlled-delivery spindle. Holds and dispenses all standard core roll tissue up to 6" (152 mm) diameter. Fabricated of heavy-duty aluminum casting with satin-matte, silver-grey powder coated finish.

## MODEL OPTION:

0264-1 Double roll toilet tissue dispenser.

**Overall Dimensions:** 6½" × 1¾" × 4" (165 × 45 × 102 mm)



#### 0267 VANDAL-RESISTANT HOOD

14 gauge satin finish stainless steel for use only with 0264-1 (specified and purchased separately).

**Unit Size:** 14<sup>1</sup>/<sub>8</sub>" x 7<sup>3</sup>/<sub>4</sub>" x 6<sup>1</sup>/<sub>2</sub>" (359 x 197 x 175 mm)



# 0697-GAL SURFACE MOUNTED STAINLESS STEEL SHELF AND DOUBLE TOILET TISSUE HOLDER

Shelf, 18 gauge stainless steel satin finish with front edge hemmed. Holds two 1500 sheet toilet tissue rolls.

**Overall Dimensions:**  $18" \times 4^{13}/_{16}" \times 5"$ (457 x 106 x 127 mm)







#### 7305-B\* SURFACE MOUNTED TOILET TISSUE HOLDER

Bright finish stainless steel with chrome plated roller. Heavy gauge concealed bracket mounts on wall. Holds standard core roll.

MODEL OPTIONS: 7305-S Satin finish stainless steel. 7305-2S/2B Holds 2 rolls.

> **7305-S/B Overall Dimensions:** 7<sup>3</sup>/<sub>4</sub>" x 2 x 3<sup>7</sup>/<sub>8</sub>" (207 x 51 x 98 mm)

**7305-2S/2B Overall Dimensions:** 13<sup>1</sup>/<sub>2</sub>" x 2 x 3<sup>7</sup>/<sub>8</sub>" (343 x 51 x 98 mm)

\*For theft-resistant spindle add R-009 after model number.

#### 0715 SURFACE MOUNTED DOUBLE TOILET TISSUE HOLDER CHROME PLATED STEEL

Provided with vandal-resistant locking device and mechanism to provide controlled delivery. High polish finish. Dispenses two standard or 1800 sheet toilet tissue rolls.

**Overall Dimensions:** 12<sup>3</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>4</sub>" x 4<sup>1</sup>/<sub>4</sub>" (314 x 70 x 108 mm)

#### 0710 SURFAce MOUNTED SINGLE TOILET TISSUE HOLDER

**Overall Dimensions:** 6" × 2<sup>3</sup>⁄<sub>4</sub>" × 4<sup>1</sup>⁄<sub>4</sub>" (152 × 70 × 108 mm)

#### 7403 RECESSED EXTRA ROLL TOILET TISSUE HOLDER

Spring-loaded chrome roller. Extra roll stored behind roll in use.

#### MODEL OPTIONS: 7403-B Rec., bright stainless steel. 7403-S Rec., satin stainless steel.

NOTE: If drywall installation is required, add suffix "D" to model number. If wetwall installation is required, add suffix "W" to model number (no clamp is required for wetwall).

#### **Overall Dimensions:**

6<sup>5</sup>/<sub>16</sub>" x 6<sup>1</sup>/4" (160 x 159 mm)

## TOILET TISSUE DISPENSERS



#### 0402-Z RECESSED SINGLE TOILET ð **TISSUE HOLDER**

Holds any standard core roll tissue up to 5" (127 mm) diameter. Die-cast of Zamak in seamless one-piece construction.

Wall Opening:

5<sup>1</sup>/<sub>4</sub>" x 5<sup>1</sup>/<sub>4</sub>" x 2" (133 x 133 x 51 mm)



#### 0477-SM SURFACE MOUNTED TOILET ð SEAT COVER DISPENSER

Dispenses 250 single or half-fold seat covers. Fabricated of 22 gauge stainless steel with satin finish.

### **Overall Dimensions:**

15<sup>3</sup>/<sub>4</sub>" x 11" x 1<sup>1</sup>/<sub>4</sub>" (400 x 279 x 32 mm)

#### 0477 RECESSED TOILET SEAT **COVER DISPENSER**

Door has tumbler lock, dispenses 500 single or half-fold seat covers.

Unit Size: 17<sup>1</sup>/<sub>4</sub>" x 12<sup>3</sup>/<sub>4</sub>" x 2<sup>3</sup>/<sub>8</sub>" (438 x 324 x 60 mm)

Wall Opening: 15<sup>3</sup>/4" × 11<sup>1</sup>/4" × 2<sup>5</sup>%" (400 × 285 × 67 mm)



#### 20477-SM ROVAL™ SURFACE MOUNTED SEAT COVER DISPENSER

Dispenses 250 seat covers. Fabricated of 20 gauge stainless steel with a satin finish.

**Overall Dimensions:** 15<sup>3</sup>/<sub>4</sub>" x 11" x 2<sup>3</sup>/<sub>8</sub>" (400 x 280 x 60 mm)






Fabricated from triple chrome plated rust-resistant Zamak. Dispenses one standard core roll tissue up to 5" (127 mm).

**Overall Dimensions:** 5<sup>7</sup>/8" x 1<sup>7</sup>/16" x 2<sup>3</sup>/4" (149 x 37 x 70 mm)





Extra roll of toilet tissue is placed over the horn type holder. Stainless steel set screw on bottom of flange locks unit to mounting plate.



#### **R-009 THEFT-RESISTANT SPINDLE**

Note: R009 Theft-resistant spindle is available for any toilet tissue holder indicated with an asterisk, by adding R009 suffix after model number.



# **Grab Bars**

All ASI grab bars are made in compliance with ADA guidelines for strength requirements. Various configurations feature satin finish 18 gauge type 304 stainless steel (peened or smooth). These single structure units are heliarc welded, and mandrel bending ensures uniform bar diameters.

SHOWN: 3700 SNAP FLANGE



#### **EXPOSED MOUNTING** 3400 Series - 1¼" (32 mm) O.D. 3500 Series - 1½" (38 mm) O.D.

Features include flange of 3" (76 mm) diameter,  $\frac{1}{6}$ " (3 mm) thick type 304 stainless steel with a satin finish; exposed mounting screw holes are drilled and countersunk.

**SNAP FLANGE** 3700 Series — 1¼" (32 mm) O.D. 3800 Series — 1½" (38 mm) O.D.

Features include cover that snaps over mounting flange dimples to conceal screws and concealed mounting flange of  $3^{1}/e^{"}$  (79 mm) O.D. diameter with 2 screw holes and 3 locking dimples;  $1/e^{"}$  (3 mm) thick, type 304 stainless steel. Cover is type 304 stainless steel with a satin finish and 22 gauge,  $3^{3}/e^{"}$ (81 mm) diameter.

#### MODEL OPTIONS:

3700-W White grab bar. 3800-W White grab bar.





#### NEW

ANTIMICROBIAL GRAB BAR WITH SNAP FLANGE 3800-AW Series - 11/2" (38 mm) O.D.

ASI's Germ Guard<sup>™</sup> grab bars are designed to suppress the growth of mold, bacteria, fungus, algae, mildew, and yeasts. They are made from stainless steel and are finished with an electrostatically applied powder coating. This powder coating is custom formulated to incorporate slow release silver ions (Ag+), the most powerful and long lasting natural antimicrobial agent known.

MODEL OPTIONS:
3801-18AW 18"
3801-24AW 24"
3801-36AW 36"

3801-42AW 42" 3801-48AW 48" 3802-48AW 48" (\*with intermediate support)


#### **GRAB BAR CONFIGURATIONS**

The following standard shapes are typical configurations. Grab bars can be custom designed and manufactured to meet any specific architectural requirement.

#### Designers Note:

For a non-slip surface, specify suffix "P" (peened). When specifying grab bars insert the configuration type numbers listed below into the double zeros at the end of the grab bar series number.

Example 1: A  $1\frac{1}{2}$ " (38 mm) concealed 18" x 33" (460 x 840 mm) horizontal grab bar has a model number — 3874. When a special size is needed add suffix "M" plus the size, to the closest standard bars. Example 2: A  $1\frac{1}{2}$ " (38 mm) concealed 23" x 37" (585 x 940 mm) horizontal grab bar has a model number 3874-M2337.





# Shower/Tub Accessories

ASI provides a full range of shower and tub accessories that show attention to details to address the safety and comfort needs of users. All items-including shower seats and benches, tub seats, soap dishes, and shower curtain rods-are designed to ensure secure installation and easy use.

SHOWN: 1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS



#### 0398 RECESSED HEAVY-DUTY SOAP DISH AND BAR

Stainless steel unit with bright polished finish exterior and sand blasted finish interior. Includes mounting clamp for stud walls.

Overall Dimensions: Wall Opening: 61/8" x 41/8" x 4" 71/8" x 5" x 4" (181 x 127 x 102 mm) (156 x 105 x 102 mm) MODEL OPTIONS: 0399 Same as 0398, but includes kit for installing in cement wall.

0400 Without bar.

0401 Same as 0400, but includes kit for installing in cement wall.



#### 0410-Z RECESSED SOAP DISH WITH BAR

Die-cast of Zamak in seamless one-piece construction. A plastic soap tray with drying ribs interlocks with housing for retention.

Overall Dimensions: Wall Opening: 6<sup>1</sup>/4" x 6<sup>1</sup>/4" x 3<sup>3</sup>/8" (181 x 127 x 86 mm)

5<sup>1</sup>/<sub>4</sub>" x 5<sup>1</sup>/<sub>4</sub>" x 2" (133 x 133 x 51 mm)

## SHOWER/TUB ACCESSORIES



#### 7404-S RECESSED SOAP DISH

Seamless one-piece construction fabricated of 22 gauge stainless steel with satin finish. Provided with a raised lip to retain soap.

MODEL OPTION: 7404-B Bright stainless steel.

**Overall Dimensions:**  $6^{1/4}$ " x  $6^{5/8}$ " x 2" (159 x 160 x 51 mm) Wall Opening: 5½" x 5½" x 2" (140 x 140 x 51 mm)



#### 7410-B RECESSED SOAP DISH AND BAR

One-piece construction soap dish fabricated of 22 gauge stainless steel with bright finish. Includes a bar, held permanently between two posts at top of unit.

MODEL OPTION: 7410-S Satin stainless steel.

**Overall Dimensions:** 6<sup>5</sup>/<sub>16</sub>" x 6<sup>1</sup>/<sub>4</sub>"x 3" (160 x 159 x 76 mm) **Wall Opening:** 5½" x 5½" x 2" (140 x 140 x 51 mm)



#### 1204 EXTRA HEAVY-DUTY SHOWER CURTAIN ROD

3<sup>3</sup>/<sub>6</sub>" (81 mm) diameter flanges of 20 gauge type 304 stainless steel with satin finish and 1<sup>1</sup>/<sub>4</sub>" (32 mm) diameter rod of 18 gauge type 304 stainless steel tubing with satin finish. Available in lengths up to 96" (2438 mm); special order on longer lengths.

#### MODEL OPTION:

**1214** 20 gauge, 1" (25 mm) diameter rod. Available in lengths up to 72" (1829 mm).

#### 1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.


#### MODEL OPTION:


**1201-B** Curved shower curtain rod with mounting brackets for opposite walls.

#### 1224 CONCEALED MOUNTING SHOWER CURTAIN ROD

Chrome plated brass with satin finish flanges and 1" (25 mm) diameter rod of 20 gauge type 304 stainless steel with satin finish. One flange has set screw to lock rod and prevent rotation. Available in lengths up to 72" (1829 mm); for longer lengths, specify 1204.







#### 1200-SHU SHOWER CURTAIN HOOK

Stainless steel hook for rods 1" (25 mm) and 11/4" (32 mm) diameter.

**Overall Dimensions:**  $1^{9}/_{16}$ " x  $2^{5}/_{8}$ " (40 x 67 mm)

#### 1200-V VINYL SHOWER CURTAIN

Flame-resistant, anti-bacterial, 8 gauge white vinyl fabric with standard height of 72" (1829 mm). Curtain should be 6" (152 mm) wider than opening up to 42" (1067 mm) and 12" (305 mm) wider than opening exceeding 42" (1067 mm).



#### 8203 COMPACT FOLDING SEAT

 $^{5}\!/\!{}_{16}$ " (8 mm) thick, one-piece, solid, white colored, black core phenolic seat. Frame, support legs, flanges, and bracket are satin finish stainless steel. Features a self-locking mechanism. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 18" (457 mm) wide and projects 16" (406 mm) from wall. Additional width options are available in 20", 28", and 33" (order with suffix -20, -28, and -33).

#### MODEL OPTIONS:

8204 Seat is sponge cushion covered with off-white Naugahyde<sup>®</sup> mounted on ½" (13 mm) thick marine grade plywood. 8207 Seat is fabricated of stainless steel, satin finish, slatted design.







#### 8208-R FOLDING SHOWER SEAT

(Right hand) slats are fabricated with stainless steel in satin finish. Requires only one hand operation to manually lower to horizontal position for use or raise for departure and arrival. Guide bracket with spring detent prevents seat from dropping and provides positive support in usage position as well as spring locked storage position. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 33" (838 mm) wide and projects 23" (584 mm) from wall.

MODEL OPTION: 8208-L Left hand seat.

#### 0010 CORNER SHOWER SEAT

Seat, support brackets and retainer clip are satin finish stainless steel. Seat is secured to one wall with full length piano hinge and support on other wall by bracket. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed.

#### **Overall Dimensions:** 15<sup>3</sup>/<sub>4</sub>" × 15<sup>3</sup>/<sub>4</sub>" (400 × 400 mm)

#### 8358 FOLDING TUB SEAT

<sup>1</sup>/<sub>2</sub>" (13 mm) thick, solid, white colored, black core phenolic seat. Frame, mounting bracket, and retainer hook are satin finish stainless steel. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat measures 15" (387 mm) wide and projects 33<sup>3</sup>/<sub>4</sub>" (860 mm) from wall.

## SHOWER/TUB ACCESSORIES



#### 8206-L FOLDING SHOWER SEAT

(Left Hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is ½" (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22%" (581 mm) from wall.

#### MODEL OPTIONS:

8206-R Right hand seat. 8205-L Left hand seat with cushion covered in off-white Naugahyde<sup>®</sup>. 8205-R Right hand seat with cushion covered in off-white Naugahyde<sup>®</sup>.



#### 8206-SC-L SLOW CLOSE FOLDING SHOWER SEAT

Slow Close Phenolic L-Shaped Fold Up Shower Seat provides added safety and ease of use. Gas charged struts assist one handed opening by allowing the slowly lowering seat to its operating position and also assists in partial closing. (Left Hand) Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is  $\frac{1}{2}$ " (13 mm) thick, one-piece, solid, white colored, black core phenolic. Frame, support legs, flanges, and bracket are satin finish stainless steel. Phenolic seat ONLY is field reversible. Seat measures 33" (838 mm) wide and projects 22<sup>7</sup>/<sub>6</sub>" (581 mm) from wall.

#### MODEL OPTION: 8206-SC-R Right hand seat.





#### 8209 RECTANGULAR PHENOLIC FOUR-LEG FOLD-UP SHOWER BENCH

Seat is 1/2" (13mm) thick solid phenolic, with white top and bottom surfaces, and black edges. Frame, mounting bracket, and retainer hook are satin finish stainless steel. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed. Seat is 221/2" (572 mm) deep and 48" (1219 mm) wide, projecting 24" (610 mm) from the wall when in the open position. When retracted, legs fold up to provide low profile against wall.



 8202 L-SHAPED PHENOLIC FOUR-LEG

 FOLD-UP SHOWER SEAT

Seat is ½" (13mm) thick solid phenolic, with white top and bottom surfaces, and black edges, and is field reversible for left or right hand. Rear load feet remain on floor with rear frame mounted to wall and never need adjustment after correct installation. Front legs fold up automatically when seat is raised. Gravity prevents seat from dropping. Seat measures 331/2" (851 mm) wide and projects 15<sup>17</sup>/<sub>22</sub>" (395 mm) from wall. Meets ADA Accessibility Guidelines and the needs of the physically disabled and elderly when properly installed.





# **Baby Changing Stations**

ASI offers baby safe solutions for baby changing stations. All units are easy to install, durable, and sanitary. To meet your washroom needs, we offer numerous choices along with many ADA-compliant models.

## WHAT MAKES OUR BABY CHANGING STATIONS UNIQUE?



#### LARGE WEIGHT CAPACITY

Our baby changing stations have been tested using ASTM F2285-04 and EN 12221-1 protocol for a static load and in addition have been tested to hold a weight in excess of 350 lbs.



#### ADA ACCESSIBILITY STANDARD COMPLIANT

Our units are engineered to comply with the standards set forth by the American Disabilities Act for accessibility and safety.



#### EASY OPEN AND CLOSE

Our units are designed for easy one-handed operation and shaped to safely cradle a child's body.



#### FUNGUS- AND BACTERIA-RESISTANT PLASTIC

Our baby changing stations are made with FDA-approved fungus- and bacteria-resistant plastic.

### **BABY CHANGING STATIONS**

#### FEATURES

- Easy to install
- Sanitary, safe and strong
- All units fold up; no obstruction when not in use
- Easy to clean

#### DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.



87



#### 9014 SURFACE MOUNTED HORIZONTAL PLASTIC BABY CHANGING STATION

This horizontal unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Unit supports a static load of 300 lbs. (136 kg). Its vinyl-coated, adjustable safety strap assures child protection.

#### **Overall Dimensions:**

3

Closed: 35<sup>5</sup>/<sub>32</sub>" x 24<sup>1</sup>/<sub>4</sub>" x 3<sup>7</sup>/<sub>8</sub>" (893 x 616 x 98 mm) Open: 35<sup>5</sup>/<sub>32</sub>"x 24<sup>1</sup>/<sub>4</sub>" x 22<sup>1</sup>/<sub>32</sub>" (893 x 616 x 560 mm)



#### 9015 SURFACE MOUNTED VERTICAL PLASTIC BABY CHANGING STATION

This vertical unit has a pull handle and concealed damped gas spring, assisting in easy operation. Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Unit supports a static load of 300 lbs. (136 kg). Its vinyl-coated, adjustable safety strap assures child protection.

#### **Overall Dimensions:**

Closed: 24¼" x 355⁄32" x 37⁄8" (616 x 893 x 98 mm) Open: 24¼" x 355/32" x 32<sup>15</sup>/16" (616 x 893 x 837 mm)



#### **9018 RECESSED HORIZONTAL STAINLESS STEEL BABY CHANGING STATION**

Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg). Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Door facing and collar fabricated of stainless steel.

#### MODEL OPTION:

9018-9 Surface mounted with 9" stainless steel collar.

#### **Overall Dimensions:**

Closed: 39<sup>5</sup>/<sub>32</sub>" x 28<sup>1</sup>/<sub>4</sub>" x <sup>3</sup>/<sub>8</sub>" (995 x 718 x 10 mm) Open: 39<sup>5</sup>/<sub>32</sub>" x 28<sup>1</sup>/<sub>4</sub>" x 18<sup>1</sup>/<sub>8</sub>" (995 x 718 x 460 mm)

Wall Opening:

35½" x 24½" x 4" min (902 x 622 x 102 mm)



#### 9017 RECESSED VERTICAL STAINLESS STEEL BABY CHANGING STATION

This vertical station has a door facing and collar made from 18 gauge stainless steel. Fabricated of FDA-approved fungus- and bacteria-resistant plastic. Unit shall support a static load of 300 lbs. (136 kg) and be tested in excess of 350 lbs. (159 kg).

#### MODEL OPTION:

9017-9 Surface mounted with 9" stainless steel collar.

#### **Overall Dimensions:**

Closed: 28<sup>1</sup>/<sub>4</sub>" x 39<sup>5</sup>/<sub>32</sub>" x <sup>3</sup>/<sub>8</sub>" (718 x 994 x 10 mm)

#### Open: 28¼" x 395⁄32" x 29¾" m) (718 x 994 x 746 mm)

#### Wall Opening:

241/2" x 351/2" x 4" min (622 x 902 x 102 mm)

## BABY CHANGING STATIONS



#### 9012 SURFACE MOUNTED PLASTIC BABY CHANGING STATION

Modern styling and easy-to-clean surface is fabricated of FDA-approved fungus- and bacteria-resistant plastic. Easy opening/closing pneumatic mechanism has oversized hinge and safety stop system. The built-in dispenser for towels or sanitary liners, hooks for diaper bag and purse, plus multi-lingual instructions add friendliness and convenience. Unit shall support a static load of 300 lbs. (136 kg). Surface mounted. Only 4" (102 mm) deep when closed.

#### **Overall Dimensions:**

ð.

Closed: 36" x 22" x 4" (914 x 559 x 102 mm)

Open: 36" x 22" x 20<sup>7</sup>/<sub>16</sub>" (914 x 559 x 519 mm)



#### 9013 RECESSED STAINLESS STEEL BABY CHANGING STATION ð

ADA-compliant unit features welded stainless steel for long and reliable use. Exposed surfaces are satin finish. Easy one-handed operation is assisted by a pull handle and concealed spring. The changing surface is high-impact, fungus-, and bacteria-resistant plastic for easy cleaning. Its two part adjustable safety strap and 400 lb. (181 kg) load capacity assure child protection.

#### MODEL OPTION: 9013-9 Surface mounted with 9" stainless steel collar.

**Overall Dimensions:** 

Closed: Open: 37" x 25½" x 17¾" 37" x 25½" x 3/8" (940 x 648 x 451 mm) (940 x 648 x 10 mm)

#### Wall Opening:

34<sup>1</sup>/<sub>2</sub>" x 22<sup>3</sup>/<sub>4</sub>" x 3<sup>3</sup>/<sub>4</sub>" min (870 x 578 x 95 mm)





#### 9016 RECESSED BABY CHANGER BED LINER DISPENSER

Holds and dispenses up to 30 paper liners. Fabricated of stainless steel.

Unit Size: 10" × 18" × 4" (254 x 457 x 101 mm) (210 x 413 x 95 mm)

Wall Opening: 8<sup>1</sup>/4" x 16<sup>1</sup>/4" x 3<sup>3</sup>/4"





#### 9020 SURFACE MOUNTED TODDLER SAFETY SEAT

This plastic seat, mounted on the inside of the toilet partition, either on the door or panel, allows a parent to take a toddler into the stall with them. Unit shall support a static load of 50 lbs. (23 kg). Fabricated of FDA approved plastic.

#### **Overall Dimensions:**

Closed: 12<sup>1</sup>/<sub>2</sub>" x 21<sup>3</sup>/<sub>4</sub>" x 5<sup>1</sup>/<sub>2</sub>" (318 x 552 x 140 mm)

Open: 12<sup>1</sup>/<sub>2</sub>" x 21<sup>3</sup>/<sub>4</sub>" x 11<sup>1</sup>/<sub>8</sub>" (318 x 552 x 283 mm)

# Shelves

ASI offers various configurations, sizes, and styles, including platform, recessed, and folding utility shelving—all sturdy, durable, and constructed of stainless steel.

SHOWN: 20692 SURFACE MOUNTED SHELF



#### 0690 SHELF WITH RAISED EDGES

Entire unit is formed of one-piece of 18 gauge stainless steel having a 3/4" (10 mm) depression with a satin finish.

See chart for standard sizes.

		Model Numbers		
	0690	0692	0694	20692
Standard Sizes:	6" depth (152 mm)	5", 6" or 8" depth (127,152, 203 mm)	5" depth (127 mm)	6" depth (152 mm)
Length				
12" (305 mm)				
16" (406 mm)				
18" (457 mm)				
24" (610 mm)				
30" (762 mm)				
36" (914 mm)				
48" (1219 mm)				
60" (1524 mm)				
72" (1829 mm)				



#### 0692 SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel with a satin finish. Front edge is hemmed for maximum rigidity and safety. See chart for standard sizes.



#### 0698 FOLDING UTILITY SHELF FOR TOILET COMPARTMENTS

Fabricated of 18 gauge satin finish stainless steel with raised rim. Shelf automatically returns to upright position when not in use.

**Overall Dimensions:** 145%" x 5<sup>13</sup>/<sub>16</sub>" (371 x 148 mm)





#### 0412 RECESSED SHELF

This unit is fabricated of 22 gauge, all welded construction, stainless steel with a satin finish.

**Overall Dimensions:** 18" x 8" x 4<sup>1</sup>/<sub>4</sub>" min (457 x 203 x 108 mm)

**Wall Opening:** 16<sup>1</sup>/2<sup>"</sup> x 6<sup>1</sup>/2<sup>"</sup> x 4<sup>"</sup> min (419 x 165 x 102 mm)



#### 0694 SURFACE MOUNTED SHELF WITH BACKSPLASH

Fabricated of 18 gauge stainless steel with a satin finish on exposed surfaces with 5" (127 mm) depth.



#### 20692 ROVAL™ SURFACE MOUNTED SHELF

Fabricated of 18 gauge stainless steel, the 6" wide shelf has a 34" (19 mm) gently radiused edge. Choice of sizes.

**Overall Dimensions:** 6" x 12"-72" (152 x 305-1829 mm)







### 1307-3 UTILITY HOOK STRIP WITH 3 HOOKS

Fabricated of stainless steel with satin finish, this strip is 4" (102 mm) high with edges returning  $^{1\!/_2"}$  (13 mm) to the wall. Measures 26" (660 mm) long.

#### MODEL OPTIONS:

**1307-4** With 4 hooks 36" (914 mm) long. **1307-5** With 5 hooks 46" (1168 mm) long. **1307-6** With 6 hooks 56" (1422 mm) long.



#### 1308-3 SHELF WITH 4 UTILITY HOOKS AND 3 MOP HOLDERS STRIP

Fabricated of satin finish stainless steel, this shelf is 8" (203 mm) deep with  ${}^{3}\!/_{4}$ " (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Unit is  $14'/_{2}$ " (368 mm) high. Measures 34" (860 mm) long.

#### MODEL OPTION:

1308-4 4 mop holders/5 utility hooks, 44" (1118 mm) long.

## CUSTODIAL ACCESSORIES




## 1306 HEAVY-DUTY UTILITY HOOK

Heavy-duty 14 gauge stainless steel with satin finish.

#### 0533-48 CORNER GUARD

Surface Mounted Corner Guard comes in multiple sizes and mounting options. Robust 18 gauge stainless steel protects corners and is finished with a 1/e" radius outside edge. Guard can be mounted flush to floor or at base height. Ideal for a variety of applications. Standard mounting is with adhesive. Optional screw mounting available on request.



**Overall Dimensions:** 48" × 4<sup>1</sup>/<sub>4</sub>" × 4<sup>1</sup>/<sub>4</sub>" (1219 × 108 × 108 mm)

Suffix	Material	
1	SM Corner Guard with Beveled Edge Legs	

1	SM Corner Guard with Beveled Edge Legs
2	SM Corner Guard with Mounting Holes & Beveled Edge Legs
3	SM Corner Guard with Flat Edge Legs
4	SM Corner Guard with Mounting Holes & Flat Edge Legs



#### 8215-5 MOP AND BROOM RACKS

5 holders, 46" (1168 mm) long. Fabricated from one-piece hi-hat channel stainless steel.

#### MODEL OPTIONS:

8215-3 3 holders, 26" (660 mm) long. 8215-4 4 holders, 36" (914 mm) long.



#### 1315-4 UTILITY SHELF WITH DRYING ROD, 4 MOP HOLDERS AND 3 RAG HOOKS

Fabricated of satin finish stainless steel, this shelf is 8" (203 mm) deep with 3/4" (19 mm) return for rigidity. Mop holders are riveted to strip, and rubber cam is ribbed for grasping. Rod and hooks for wet rags are included. Measures 36" (914 mm) long.

#### MODEL OPTIONS:

**1315-3** 3 mop holders/2 rag hooks, 30" (762 mm) long. **1315-6** 6 mop holders/5 rag hooks, 48" (1219 mm) long.



SHOWN: 0501-4 SURFACE MOUNTED FOOT OPERATED SURGICAL SOAP SURGICAL GLOVE DISPENSER



# **Healthcare Accessories**


ASI offers many different items that are specifically designed for healthcare settings. All of these items contribute to providing an organized and hygienic environment for patients and caregivers. From innovative products like new antimicrobial grab bars and a slow close shower seat, to glove dispensers, security cabinets, and hazardous waste disposals—ASI healthcare accessories are designed for ease of use, safety, durability, and peace of mind.

### WHAT MAKES OUR HEALTHCARE ACCESSORIES UNIQUE?



## STAINLESS STEEL CONSTRUCTION

Our cabinets are made of stainless steel, which is tough, durable, stainresistant and easy to clean.



#### TUMBLER LOCK

The design of our products with tumbler locks allows for the removal of internal components for sterilizing or autoclaving when necessary.



#### CONVENIENT PASSAGE

Our specimen pass box and cabinet enables easy access and safe handling of specimens from patient area to laboratory.



#### ADJUSTABLE SHELVES

The design of our cabinets offers flexibility with adjustable shelves for ease in storage and use.

### **HEALTHCARE ACCESSORIES**

#### FEATURES

- Easy to install
- Hygienic and safe to use

Durable

• Easy to clean

#### DIMENSIONS

Unit dimensions vary by model.

See individual product descriptions for details.





#### 0952 RECESSED STAINLESS STEEL MEDICINE CABINET

Swing door mirror frame is stainless steel with satin finish. Mirror is 1/4" (6 mm), guaranteed for 15 years against silver spoilage. Door has full length piano hinge and magnetic catch. Three removable stainless steel shelves.

**Overall Dimensions:** 18<sup>1</sup>/4" x 24<sup>1</sup>/4" x 4<sup>1</sup>/2" (464 x 616 x 114 mm)

ð

MODEL OPTION: 0952-B Larger than 0952.

**Overall Dimensions:** 24" x 26" x 4<sup>7</sup>/8" (610 x 660 x 124 mm) Wall Opening: 16" x 22<sup>3</sup>/<sub>4</sub>" x 3<sup>1</sup>/<sub>2</sub>" (406 x 578 x 89 mm)


Wall Opening: 21<sup>3</sup>/4" x 24<sup>1</sup>/2" x 3<sup>1</sup>/2" (550 x 620 x 89 mm)



#### 0953 SURFACE MOUNTED STAINLESS STEEL ð MEDICINE CABINET

Surface mounted cabinet is made from 20 gauge stainless steel with a satin finish. Mirrored door is hung on cabinet with a full length 3/16" staked piano hinge. Cabinet has three adjustable stainless steel shelves.

**Overall Dimensions:** 18<sup>1</sup>/4" x 24<sup>1</sup>/4" x 4<sup>3</sup>/4" (464 x 616 x 121 mm)



## HEALTHCARE ACCESSOBIES



ð

#### 8340 RECESSED POWDER COATED MEDICINE CABINET

One-piece, drawn cold rolled steel with white powder coated steel finish. Stainless steel channel framed mirrored door with  $1\!\!/4"$  (6 mm) thick plate glass, has continuous piano hinge and magnetic catch. Three removable white enamel steel shelves.

**Overall Dimensions:** 18<sup>1</sup>/4" x 24<sup>1</sup>/4" x 4<sup>7</sup>/8" (465 x 615 x 120 mm) Wall Opening: 16" x 22<sup>3</sup>/4" x 3<sup>1</sup>/2" (406 x 578 x 89 mm)

MODEL OPTIONS: 8338 Smaller and has two adjustable white baked enamel steel shelves. 14<sup>1</sup>/8" x 20<sup>3</sup>/16" x 5" (359 x 513 x 125 mm)

8339 Larger than 8338. 163/16" x 223/16" x 5" (411 x 564 x 127 mm)





#### 0546 SECURITY MEDICINE CABINET

Stainless steel satin finish shelves are 20 gauge with hemmed edges and are easily adjusted by owner using track clips provided. Two (2) shelves and eight (8) clips are provided.

## **Overall Dimensions:**

30" x 30" x 12" (762 x 762 x 305 mm)



#### **0547 NARCOTICS CABINET -**COMBINATION LOCK/ DUAL DOORS

Security cabinet for controlled narcotic substances is surface mounted and constructed from stainless steel with double wall all welded construction. Cabinet is 22 gauge and doors are 18 gauge.

**Overall Dimensions:** 11<sup>1</sup>/4" x 15" x 8<sup>1</sup>/4" (286 x 381 x 210 mm)





Dispenses liquid antiseptic solutions and synthetic detergent soaps. Chrome plated brass body. Capacity: 16 oz. (0.5 L) white polyethylene globe.

**Overall Dimensions:** 3<sup>3</sup>/8" x 6<sup>1</sup>/2" x 5<sup>1</sup>/8" (86 x 165 x 130 mm)

#### 0349 FOOT OPERATED SURGICAL ð. SOAP DISPENSER

Pneumatic pump mechanism, 32 oz. (0.9 L) polyethylene container. Free turning spout is type 316 stainless steel. 96" (2438 mm) long vinyl tubing attaches to anti-slip foot pump. Dispenses liquid surgical soaps, antiseptic solutions and synthetic detergents.

**Overall Dimensions:** 4<sup>1</sup>/<sub>4</sub>" × 12<sup>3</sup>/<sub>4</sub>" × 9" (108 x 324 x 229 mm)

Spout Projection: 9" (229 mm) from wall





#### 0815 FLOOR STANDING FOOT OPERATED WASTE RECEPTACLE

Foot operated waste receptacle with satin finish stainless steel body and top. Connected with multi-staked piano hinge and features hemmed edges for safety. Capacity: 8 gal. (30.7 L).

#### **Overall Dimensions:** 10<sup>3</sup>/4" x 20<sup>15</sup>/<sub>16</sub>" x 10" (273 x 531 x 254 mm)



#### NEW

ANTIMICROBIAL GRAB BAR WITH SNAP FLANGE 3800-AW Series - 11/2" (38 mm) O.D.

ASI's Germ Guard<sup>™</sup> grab bars are designed to suppress the growth of mold, bacteria, fungus, algae, mildew, and yeasts. They are made from stainless steel and are finished with an electrostatically applied powder coating. This powder coating is custom formulated to incorporate slow release silver ions (Ag+), the most powerful and long lasting natural antimicrobial agent known.

MODEL OPTIONS: 3801-18AW 18" 3801-24AW 24" 3801-36AW 36"

3801-42AW 42" 3801-48AW 48" 3802-48AW 48" (\*with intermediate support)



#### 0548 RECESSED SHARPS **DISPOSAL CABINET**

Satin finish stainless steel. Marked with graphic label indicating Biohazard. Holds one Becton, Dickinson and Company (BD) brand Sharps Collector model #305443 (not included).

Wall Opening: 12<sup>1</sup>/8" x 17<sup>3</sup>/4" x 5" (308 x 451 x 127 mm)

**Overall Dimensions:** 13<sup>3</sup>/4" x 19<sup>1</sup>/<sub>16</sub>" x 5<sup>1</sup>/4" (349 x 486 x 133 mm)

MODEL OPTION: 0548-9 Surface mounted unit.



#### 0501-X SURFACE MOUNTED SURGICAL GLOVE DISPENSER

Satin finish stainless steel, holds, and dispenses gloves from one standard surgical glove box. Fully hemmed-in rolled edges for snag-free dispensing and user safety.

#### MODEL OPTIONS:

0501-1 Dispenser for 1 box. **0501-2** Dispenser for 2 boxes. **0501-3** Dispenser for 3 boxes.

- 0501-4 Dispenser for 4 boxes.

## HEALTHCARE ACCESSORIES



#### 0511 SURFACE MOUNTED BULK DISPENSER, SMALL

Satin finish stainless steel. Dispenses various personal protection equipment such as gloves, caps and shoe covers (not supplied).

**Overall Dimensions:** 12<sup>5</sup>/<sub>64</sub>" x 11" x 5½" (307 x 279 x 140 mm)

MODEL OPTION: 0512 Large bulk dispenser

**Overall Dimensions:** 12<sup>5</sup>/<sub>64</sub>" x 17" x 5<sup>1</sup>/<sub>2</sub>" (307 x 431 x 140 mm)



#### 0515 TURNTABLE SPECIMEN PASS BOX

Fabricated of 18 gauge satin finish stainless steel. Turntable cylinder is 12" (305 mm) diameter with 10½" x 6" (267 x 152 mm) opening. Stainless steel self-lubricating ball bearing plates mounted on top and bottom permit the unit to rotate freely. Positioned bullet catches prevent uncontrolled rotation. Entire inner assembly is encased in 1" (25 mm) wide trim. Cylinder lock allows for the removal of the cylinder for sterilizing or autoclaving when necessary. Trim is adjustable for wall up to 7" (178 mm) thick.



#### 0551 RECESSED BEDPAN AND URINAL BOTTLE CABINET

Recessed cabinet is 22 gauge satin finish stainless steel for storage of bedpan and urinal. Cabinet provided with  $\frac{1}{2}$ " (13 mm) open space across top and bottom of door to allow air circulation.

**Overall Dimensions:** 15" x 28" x 5<sup>1</sup>/<sub>4</sub>" (381 x 711 x 133 mm)

Wall Opening:

13<sup>3</sup>/8" x 26<sup>1</sup>/2" x 5<sup>3</sup>/8" (340 x 670 x 140 mm)

MODEL OPTION:

**0558-1** Recessed bedpan and wash basin cabinet.



## 3 0557 SURFACE MOUNTED BEDPAN RACK

Surface mounted rack provides convenient storage for one conventional sized bedpan.

**Overall Dimensions:**  $12" \times 11" \times 4^{7/8"}$ 

(305 x 279 x 124 mm)

#### MODEL OPTIONS:

**0556** Surface mounted bedpan and urinal rack. **0559** Surface mounted double bedpan rack. Similar to 0556, but designed to hold two conventional sized bedpans.



# Image: Solution of the second seco

Anti-ligature dryer designed for Behavioral Health environments—angled top, welded corners and single tube exhaust prevent looping, tying off, wedging and prying. Tamper-resistant 18 gauge stainless steel cover, and flush pin-hex security screws. Available in 115-120V and 208-240V.

**Unit Size:** 12<sup>5</sup>/<sub>8</sub>" × 15<sup>3</sup>/<sub>4</sub>" × 5<sup>4</sup>/<sub>16</sub>" (320 × 400 × 140 mm)

Decibel Level: 66 dB-A @ 2M







### SHOWN: 7383 TOWEL SHELF WITH HANGER ROD



## HOSPITALITY ACCESSORIES

# **Hospitality Accessories**

ASI offers a wide range of options to accessorize the washroom setting. These items include towel bars and racks, clothes hooks, shelving and holders. All items are easy to install and easy to clean. These items add a special touch and convenience for washroom users.

## WHAT MAKES OUR HOSPITALITY ACCESSORIES UNIQUE?



## STAINLESS STEEL CONSTRUCTION

Our heavy-duty items are made of high-quality type 304 stainless steel, which is tough, durable, stain-resistant and easy to clean.



#### MINIMALISTIC, CONTEMPORARY AND CLASSIC

Different styles allow you to choose what works best to complement your washroom.



#### LEED®-FRIENDLY

The robust construction made of type 304 stainless steel is LEED'-friendly and fits our sensibility about longer lifecycle building designs.



#### REFINED LOOK, RICH FUNCTION

These accessories add a special touch to enhance the user's experience in the washroom setting.

### **HOSPITALITY ACCESSORIES**

#### FEATURES

- Easy to install
- Hygienic and safe to use
- Durable
- Easy to clean





See our Mirror Collection on page 64.







## 7313 SOAP DISH WITH GLASS HOLDER

Clear glass holder has raised ribs to elevate soap slightly above surface to promote drying. May be removed for cleaning. All other parts of the unit are fabricated of satin finish stainless steel.

#### **Overall Dimensions:**

45/16" DIA x 47%" (110 DIA x 124 mm)



#### 7308 SINGLE ROBE HOOK

Extends 25%" (59 mm) from wall or door. Suitable for robes, clothing, or small bags. Satin finish stainless steel hook.



#### 7316 SPARE TOILET PAPER HOLDER

Holds one roll of toilet paper. Extends 4" (102 mm) from wall. All exposed surfaces have a satin finish stainless steel.

**Overall Dimensions:** 3<sup>35</sup>/<sub>64</sub>" DIA x 6<sup>5</sup>/<sub>8</sub>" (90 DIA x 167 mm)





#### 7312 DOUBLE ROBE HOOK

Two hooks, set apart at 90° on center, extend 2%" (60 mm) from wall or door. Suitable for robes, clothing, or small bags. Satin finish stainless steel.

## HOSPITALITY ACCESSORIES







Satin finish stainless steel hood. Hood adds weight for easy tear and also protects paper roll from water droplets.

**Overall Dimensions:** 51/4" x 5" x 29/16" (133 x 127 x 65 mm)



#### 7315-H DOUBLE TOILET PAPER ROLL HOLDER WITH HOOD

Double Toilet Paper Roll Holder with Hood is fabricated of stainless steel. All exposed surfaces have a satin finish. Roll holder bail is retained in post with concealed set screw. Hoods are captive on rod. Post is 22 gauge tubing with formed 18 gauge threaded bracket welded inside end.

**Overall Dimensions:** 12<sup>5</sup>/<sub>32</sub>" x 3" x 5" (309 x 76 x 128 mm)





#### 7317 COVERED WASTE RECEPTACLE

Freestanding covered garbage can. Lid opens by depressing foot pedal. Plastic pail with wire bail included. Bright finish stainless steel. Capacity: 2 gal. (7.6 L).

MODEL OPTION: 7317-S Satin stainless steel finish.

**Overall Dimensions:** 8%32" DIA x 12%4 (210 DIA x 324 mm)









#### 7314 SINGLE TOILET PAPER ROLL HOLDER

The toilet paper placed on this bail-type holder has unrestricted feed. Its design allows for easy replacement by maintenance or even guests. All exposed surfaces have a satin finish stainless steel. Paper bar is reversible to change handing.

**Overall Dimensions:** 5<sup>3</sup>/<sub>16</sub>" x 3<sup>3</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>16</sub>" (131 x 86 x 56 mm)



#### 7387 SURFACE MOUNTED TOILET 3 **BRUSH AND HOLDER**

Tube handle, round splash guard, and storage cylinder of this wall-mounted unit are fabricated of satin finish stainless steel. Includes a drip cup at the bottom for easy cleaning. Brush is made of PVC with a polypropylene shaft.  $15\frac{1}{2}$ " (394 mm) from bottom of base to top of handle and extends  $5\frac{1}{2}$ " (131 mm) from wall. Allows for easy cleaning while maintaining an elegant washroom.

#### MODEL OPTION:

7388 Freestanding. 15" (381 mm) from bottom of base to top of handle.





#### 0712 SURFACE-MOUNTED RETRACTABLE CLOTHES LINE

Polished stainless steel unit has spring actuated 72" (1829 mm) vinyl cord with white vinyl knob and locking nut to hold stretched line taut. Installs over bathtub or in shower.





Heavy-duty unit with 3/4" diameter stainless steel tubing. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

**Overall Dimensions:** 235/8" x 31/2" x 815/16 (600 x 89 x 227 mm)



#### 7381 SURFACE MOUNTED ð SUNDRIES SHELF

Stainless steel formed round wire construction and has 25/64" (10 mm) diameter. Solid retainer cross bar as front rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

**Overall Dimensions:** 12<sup>7</sup>/<sub>8</sub>" x 4<sup>7</sup>/<sub>16</sub>" x 3<sup>35</sup>/<sub>64</sub>" (372 x 114 x 90 mm)



7322 SURFACE MOUNTED ð SOAP BASKET

> Stainless steel formed round wire construction and fabricated with heavy gauge solid rectangular cross section formed bar top rim. Satin finish on all visible surfaces. Stainless steel setscrew provided on bottom perimeter of flanges to lock unit to mounting plates.

**Overall Dimensions:** 11<sup>15</sup>/<sub>32</sub>" x 2<sup>9</sup>/<sub>32</sub>" x 6<sup>1</sup>/<sub>2</sub>" (291 x 58 x 165 mm)

## HOSPITALITY ACCESSORIES



#### 7306 TOWEL RING

Designed for hand towels, this 7" DIA (178 mm) towel ring is formed from a %" DIA (9.5 mm) satin finish stainless steel tube. Extends 2½" (64 mm) from wall.



#### 1201-A CURVED SHOWER CURTAIN ROD WITH MOUNTING BRACKETS

Fabricated of type 304 stainless steel. Tubing is 18 gauge, 1" DIA (25 mm) with a satin finish. Length is suitable for a 60" (1524 mm) wide enclosure either on opposite walls (-B) or across the face opening (-A) depending upon rod length chosen.

#### MODEL OPTION:

**1201-B** Curved shower curtain rod with mounting brackets for opposite walls.



#### 0259-SS RECESSED FACIAL TISSUE DISPENSER

Dispenses 300 single-ply or 150 double-ply tissues. Faceplate constructed of stainless steel with satin finish.

**Overall Dimensions:** 11<sup>7</sup>/<sub>8</sub>" x 6<sup>3</sup>/<sub>8</sub>" x 2<sup>1</sup>/<sub>4</sub>" (302 x 162 x 57 mm)



#### 7307-18 ROUND TOWEL BAR

Satin finish stainless steel tube and posts with round mounting brackets on ends. Extends 25%" (67 mm) from wall. 18" (457 mm) in length.

## MODEL OPTION:

**7307-24** Same as 7307-18, but 24" (610 mm) in length, <sup>5</sup>/<sub>8</sub>" (16 mm) DIA.





**Security Accessories** 

ASI offers many different items that are specifically designed for settings with high security requirements.

Features include design for contraband detection and

clothes hooks that release when excessively loaded

SHOWN: 128-1 BOOK SHELF/CLOTHES HOOK—FRONT MOUNTING

to deter self-harm actions.




#### 2 122

#### 122 SQUARE CLOTHES HOOK-REAR MOUNT

Fabricated of 12 gauge stainless steel with a satin finish. Back plate is fabricated of 14 gauge stainless steel. If hook is excessively loaded, it will snap down for safety. Unit has four studs welded on back for rear mounting.

MODEL OPTION: 123 Front mounted hook.

**Overall Dimensions:**  $4^{1}/4^{"} \times 4^{1}/4^{"} \times 2^{1}/4^{"}$ (108 × 108 × 57 mm)



## SECURITY ACCESSORIES



#### ð

#### 120 CLOTHES HOOK-FRONT MOUNT

Bracket 11 gauge, hook 7 gauge stainless steel with satin finish. If hook is excessively loaded, it will snap down for safety. Unit has four holes through flange for front mounting.

## Overall Dimensions: $3" \times 5" \times 3^{1/16}"$

(76 x 127 x 78 mm)



#### 2 165 GRAB BAR

Tubing 18 gauge and flanges ½" (3 mm) thick stainless steel with satin finish. Closure plate is ½" (3 mm) thick. All welded construction. Unit has three holes through each flange for front mounting.

#### MODEL OPTIONS:

Rear			Front	
Mounted	Length	N	/lounted	Length
160	24" (610)		159	18" (457)
161	30" (762)		162	30" (762)
163	36" (914)		164	36" (914)
166	42" (1067)		165	24" (610)
168	48" (1219)		167	42" (1067)
			169	48" (1219)



## ð

#### 110-1 SQUARE RECESSED TOILET TISSUE HOLDER-REAR MOUNT

Fabricated of 14 gauge stainless steel with satin finish exterior, glass blasted satin finish interior 4<sup>1</sup>/2" (114 mm) deep accommodates one standard toilet tissue roll. Flange is 7" (179 mm) square.

#### MODEL OPTION: 110-13 Front mounted holder.





#### 110 RECESSED TOILET TISSUE HOLDER – REAR MOUNT

Fabricated of 16 gauge stainless steel, satin finish exterior, glass blasted satin finish interior.  $4^{1}/_2^{"}$  (114 mm) interior depth accommodates one standard toilet tissue roll. Hidden contraband causes roll to project from holder allowing detection. Two "T" nuts welded on back for rear mounting.

**MODEL OPTION: 110-A** 7<sup>1</sup>/<sub>4</sub>" (184 mm) DIA

**Overall Dimensions:** 71/4" (184 mm) DIA







#### 101-14 SECURITY FRAMED MIRROR-CHASE MOUNT

Frame 14 gauge stainless steel with satin finish, corners welded and ground smooth. Unit provided with fiberboard backing and six "T" nuts welded on back for rear mounting. Specify wall thickness if greater than 6" (152 mm). 20 gauge stainless steel with #8 mirror polish.

#### **Overall Dimensions:**

ð

12" x 16" x 5/s (305 x 406 x 16 mm)

#### 104 SECURITY FRAMED MIRROR-FRONT MOUNT

Unit consists of wall mounting plate fabricated of 7 gauge stainless steel with four countersunk mounting holes and eight tapped holes. Formed mirror fabricated of 18 gauge stainless steel with #8 mirror polish finish provided with eight dimpled holes through integral frame and 1/4-20 x 1/4" Torx<sup>®</sup> head screws for securing to wall mounting plate. For 20 gauge No. 8 mirror polish finish use suffix -14.

#### **Overall Dimensions:**

10<sup>1</sup>/16" x 11<sup>9</sup>/16" x <sup>7</sup>/16" (256 x 294 x 11 mm)



105-14 SECURITY FRAMED MIRROR-FRONT MOUNT

Frame 14 gauge stainless steel with satin finish, corners welded and ground smooth. Front mounting furnished with Torx" vandal-resistant 1/4-20" x 2 (150 mm) machine screws. 20 gauge type 304 stainless steel with #8 mirror polish.

#### **Overall Dimensions:**

12" x 16" x 5/s (305 x 406 x 16 mm)





#### 129 CLOTHES/TOWEL HOOK STRIP-FRONT MOUNT

Fabricated of 14 gauge stainless steel with satin finish. Hooks snap down for safety if excessively loaded. Six holes through back for front mounting.

#### **Overall Dimensions:** 18" x 5½" x 2¼

(457 x 140 x 57 mm)

## SECURITY ACCESSORIES





#### 127 CLOTHES/TOWEL HOOK STRIP-FRONT MOUNT

Wall plate 14 gauge with beveled edges, 11 gauge brackets and four 7 gauge hooks. Stainless steel with satin finish. Hooks snap down for safety if excessively loaded. Unit has six mounting holes through back for front mounting.

### **Overall Dimensions:**

ð

18" x 5½" x 3" (457 x 140 x 76 mm)

## 30 RECESSED SHELF-REAR MOUNT

Shelf 16 gauge type 304 stainless steel, corners welded and ground smooth. 1" (25 mm) wide beveled satin finish trim. Interior glass blasted finish. Unit has four studs welded on back for rear mounting.

**Overall Dimensions:** 18" x 7" x 4" (457 x 178 x 102 mm)

Wall Opening: 5<sup>1</sup>/<sub>2</sub>" × 16<sup>1</sup>/<sub>2</sub>" (141 × 419 mm)





#### 140 RECESSED SOAP DISH-REAR MOUNT

Soap dish 16 gauge stainless steel with satin finish. One-piece drawn construction with beveled trim and embossments for air circulation and drainage. Unit has two "T" nuts welded on back for rear mounting.

**Overall Dimensions:** 7%" x 6" x 3"

(187 x 152 x 76 mm)

**Wall Opening:** 6<sup>1</sup>/<sub>2</sub>" x 5 x 2<sup>3</sup>/<sub>4</sub>" min (165 x 127 x 70 mm)





#### 107 ONE-PIECE FRAMED MIRROR WITH ROUNDED CORNERS-FRONT MOUNT

One-piece 18 gauge stainless steel formed mirror with #8 mirror polish finish, integral frame, rounded corners and six mounting holes. For 20 gauge No. 8 mirror polish finish use suffix -14.

**Overall Dimensions:** 

12" x 16" x <sup>1</sup>⁄4" (305 x 406 x 6 mm)



## INDEX OF PRODUCTS BY CATEGORY

## For additional product suffix options use the index by model number on page 112-113.

BABY CHANGING	
Model	Page
9012	89
9013	24/86/89
9013-9	24/89
9014	88
9015	88
9016	89
9017	88
9017-9	88
9018	88
9018-9	88
9020	89
3020	00
CUSTODIAL ACCESSORIES	
Model	Page
0533-1	93/96
0533-2	93/96
0533-3	93/96
0533-4	93/96
0533-48	93/96
1306	93
1307-3	92
1307-4	92
1307-5	92
1307-6	92
1308-3	92
1308-4	92
1315-3	93
1315-4	93
1315-6	93
8215-3	93
8215-4	93
8215-5	93
FEMININE HYGIE VENDORS AND DISPOSALS	
Model	Page
0464	67
0468	67/68
0468-2	68
04684	68
0472	69
0472-1	69
0473	69
0473-1	69
0473-A	69
0473-1A	69
0852	69
0864	67
20470	22/69
204684	22/68
204684-9	22/68
	22/68
20852	,
6468	39/67
64684	39/67
6471	39/68
9468	30
94684	30

GRAB BARS	
Model	Page
3400/3500	80
3700/3800	80
3700-W	80
3800-AW	80/98
3800-W	80
3801-18AW	80/98
3801-24AW	80/98
3801-36AW	80/98
3801-42AW	80/98
3801-48AW	80/98
3802-48AW	80/98
3874	81
3874-M2337	81
HAND DRYE	RS
Model	Page
0135	36/54
0141	54
0165	54
0184	55
0185-93	55
0192	53
0196-41	53
0195	55
0197	53
0198-93	55
0198-MH	36/54/99/106
0199-93	53
0661-1	16/52/61/65
0661-2	16/52/61/65
0663-1	17/52/61/65
0663-2	17/52/61/65
20199	25/55
20200	25/50/51
20201	25/51
64672-1	12/35/52
64672-2	12/35/52
HEALTHCAR	
ACCESSORI	S
Model	Page
0198-MH	99
0349	97
0350	97
0501-X	98
0501-1	98
0501-2	98
0501-3	98
0501-4	94/98
0511	99
0512	99
0515	99
0533-1	93/96
0533-2	93/96
0533-3	93/96
0533-4	93/96
0533-48	93/96
0546	97
0547	97
0548	98

0551 0556 0557 0558-1 0559 0815 0952 0952-B 0953 3800-AW 3801-18AW 3801-24AW 3801-24AW 3801-42AW 3801-42AW 3801-48AW 3801-48AW 3802-48AW 8155 8156 8338 8339 8340	99 99 99 98 96 96 80/98 80/98 80/98 80/98 80/98 80/98 80/98 80/98 80/98 90 96 96 96 97 97 97
HOSPITALITY ACCESSORIE: Model 0259-SS 0712 1201-A 1201-B 7306 7307-18 7307-24 7308 7312 7313 7314 7314 7314-H 7315-H 7316 7317 7317-S 7322 7381 7383 7383 7387 7388	S Page 105 104 105 105 105 105 105 102 102 102 103 103 103 103 103 103 103 104 100/104 104
MIRRORS Model 0535 0537 0600 0600-T 0605 0620 0625 0661-1 0661-2 0661-T 0661-FM-14 0661-FM-23	Page 63/64 64 63/64 62/64 62/64 62/64 62/64 16/52/61/65 16/52/61/65 14/16/61/65 16/66 16/66

0551

99

0663-1	17/52/61/65	046921	45
0663-2	17/52/61/65	046921A 046924A	45
0663-T 20650	17/61/65	046924A 046926	45 44
20650-B	25/62/63/64 64	04697	44 43
20655-D	25/63/64	04697-4	43 43
20655-B	25/03/04	04697-9	43
8026	63/64	04697-BL	43
8287	63	1001	49
0107	00	204623	20
PAPER TOWEL	_	204623-9	20
DISPENSERS		20469	18/20
Model	Page	20469-9	20
0210	47	204692A	21
0215	47	2046921A	21
0245-SS	47	4004	49
0439	47	645210A	13
0452 0452-9	46 46	645210A-00	13
0452-9	46	645210A-41	13
0457-9	46	645210AC	13
045210A	40	645210AC-00	13
045224	46	645210AC-41 6462	13
045224A	46	6462-00	13/34 13
1002	49	6462-41	10/13
20210	23	6462-2	34
20452	23	6462-9	34
204523A	23	64623	13/36
6452	38	64623-00	13
6452-9	38	64623-41	13
645210	37	64623-9	36
645210A 645210AC	13/37	6467	13/32/34
6457	13 12/38	6467-00	13
6457-00	12/30	6467-41	13
6457-41	12	6467-9 64672	34 12/35
68523A	39	64672-1-00	12/33
68523A-4	39	64672-1-41	12
68523AC	39	64672-1	12/35/52
68523AC-4	39	64672-2	12/35/52
8165	47	64672-2-00	12
8522	47	64672-2-41	12
8523A	47	64676	34
8523AC 9452	47 30	64676-2	34
9457	30	64676-9	34
5457	50	646924A 64696	35 37
PAPER TOWEL	_	64696-6	37
DISPENSERS		64696-9	37
& WASTE RECEPTACLES		64696A	12/37
Model	Page	64696A-00	12
0462-AD	42	64696A-41	12
0462-AD-9	42	64696AC	12
0467	44	64696AC-00	12
0467-2	44	64696AC-41	12
0467-9	44	9462	28
0469	40/42	94623	30
0469-2	42	9467 94676	29 29
0469-9	42	9469	26/28
0469-BL 04692	42 43	94696	20,20
04692A	43 43	94696A	29
	-10		

9471

31/68

0548-9

98

		8203 8204	84 84	0393-6-1A-41 0393-6-1AC	57 57	0755-SS 0755-Z	72 73	WASTE RECEPTACLES	
/lodel	Paga	8205-L	64 85	0393-6-1AC		0755-Z 0760-Z	73	Model	
01-14	Page		60 85	0393-8-1AC-4	57	0785-Z	70/71	0458	Pag
)1-14 )4	108	8205-R							4
	108	8206-L	85	0394-1A	57	7301-B	71	0458-9	
5-14	108	8206-R	85	0394-1A-41	57	7301-S	71	04733	2
)7	109	8206-SC-L	85	0394-1AC	56/57	7310-B	73	0810	2
198-MH	106	8206-SC-R	85	0394-1AC-41	56/57	7310-S	73	0811	2
10	107	8207	84	0394-6-1A	57	7311-B	73	0812	2
10-1	107	8208-L	84	0394-6-1A-41	57	7320	71	0813	4
10-13	107	8208-R	84	0394-6-1AC	57	7335	71	0825	4
10-A	107	8209	85	0394-6-1AC-4	<b>1</b> 57	7340	70	0826	
20	107	8358	84	0397	58	7345	70	0827	
22	106			0397-1A	57	7355	72	0828	
23	106	SOAP DISPENSER	S	0397-1AC	56/57	7382	71	0829	
27	109	Model	Page	0397-1A-41	57	7385	70	1000	
28-1	106	0326	61	0397-1AC-41	57	8425	70	1000A	
29	108	0332	59	0661-1	16/52/61/65			1003	
30	109	0332-C	59	0661-2	16/52/61/65	TOILET TISSUE		20458	
40	109	0332-CD	59	0661-T	14/16/61/65	DISPENSERS		20826	
59	105	0332-0D	59	0663-1	17/52/61/65	Model	Page	20826-T	
50 50	107	0334-B	59	0663-2	17/52/61/65	0030	76	6459	
61	107	0334-B 0334-S	59	0663-T	17/61/65	0031	76	6474	12/
	107		59	20333	58	0032	76	6474-00	
62 63	107	0335-B 0335-S	59 59	20333	58 58	0039	70	6474-00	
						0040	77		
64	107	0336	59	20363	24/60	0042	77	6474-41	
65	107	0336-D	59	20364	24/60	0263-1	78	9459	
66	107	0338	59	20365	24/60			94623	
67	107	0339	59	5001-SS	60	0264-1	78	9474	
68	107	0345	60	6326	39	0267	78		
69	107	0347	60	9326	31	0402-Z	79		
		0349	97	9343	24/31/60	0477	79		
HELVES		0350	97			0477-SM	79		
lodel	Page	0360	58	SPECIALTY	_	0697-GAL	78		
412	91	0361	61	ACCESSORIE	S	0705-Z	79		
690	90	0362	58	Model	Page	0710	78		
692	90/91	0362-41	58	0002-SM	71	0715	78		
694	90/91	0390	57	0002-ASM	71	20030	23		
698	91	0390-1A	57	0258-SS	72	20031	23		
0692	25/90/91	0390-1A-41	57	0259-SS	72	20477-SM	23/79		
	20,00,01	0390-1AC	57	0481	73	6477	39		
HOWER/TUB		0390-1AC-41	57	0481-HC	73	7303	79		
CCESSORIES		0390-6-1A	57	04813	73	7305-2B	78		
lodel	Page			04813-HC	73	7305-2S	78		
010	84	0390-6-1A-41	57	0482	73	7305-B	78		
398	82	0390-6-1AC	57	04823	73	7305-S	78		
399		0390-6-1AC-41	57	048234	73	7402	70		
	82	0390-ARK	57				77		
400	82	0390-BR	57	0483	73	7402-H			
401	82	0390-R	57	04833	73	74022	77		
410-Z	82	0391-1A	57	0484	72	74022-H	74/77		
200-SHU	84	0391-1A-41	57	0484-HC	72	7403	78		
200-V	84	0391-1AC	57	0485	72	7403-B	78		
201-A	82/83	0391-1AC-41	57	0486	72	7403-S	78		
201-B	83	0391-6-1A	57	0712	71	9030	31/76		
204	83	0391-6-1A-41	57	0714	70	9031	31		
214	83	0391-6-1AC	57	0719	70	9477	31		
224	83	0391-6-1AC-41	57	0721-Z	71	9477-SM	31		
404-B	83	0393-1A	57	0735-Z	71	R-009	79		
404-S	83	0393-1A-41	57	0740-Z	70				
410-B	83			0745-Z	70				
410-B 410-S	83	0393-1AC	57	0751	71				
410-5 202		0393-1AC-41	57	0751-A	71				
202	85	0393-6-1A	57			1		1	

## INDEX OF PRODUCTS BY MODEL NUMBER

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
0002-SM	71	0390-6-1A-41	57	045224A-6	46	0481-HC	73	0712	71/104
0002-ASM	71	0390-6-1AC	57	045224A-9	46	04813	73	0714	70
0010	84	0390-6-1AC-41	57	045224AC	46	04813-HC	73	0715	78
0030	76	0390-ARK	57	045224AC-6	46	0482	73	0719	70
0031	76	0390-BR	57	045224AC-9	46	04823	73	0721-Z	71
0032	76	0390-R	57	0457	46	048234	72	0735-Z	71
0039	77	0391-1A	57	0457-9	46	0483	73	0740-Z	70
0040	77	0391-1A-41	57	0458	46	04833	73	0745-Z	70
0042	77	0391-1AC	57	0458-9	46	0484	70	0751	71
0135	36/54	0391-1AC-41	57	0462-AD	42	0484-HC	72	0751-A	71
0141	54	0391-6-1A	57	0462-AD-9	42	0485	72	0755-SS	72
0165	54	0391-6-1A-41	57	0464	67	0486	72	0755-CC	72
0184	55	0391-6-1AC	57	0467	44	0501-X	98	0760-Z	73
0185-93	55	0391-6-1AC-41	57	0467-2	44	0501-1	98	0785-Z	70/71
0105-55	53	0393-1A	57	0467-9	44	0501-2	98	0810	48
0192	55	0393-1A-41	57	0468	67/68	0501-3	98	0810	48
0195	53	0393-1A-41	57	0468-2	68	0501-4	94/98	0812	48
0190-41		0393-1AC-41	57	04684	68	0511	99	0812	48
0197 0198-93	53 55	0393-1AC-41 0393-6-1A	57 57	0469	40/42	0512	99	0813	48 98
0198-93 0198-MH	36/54/99/106	0393-6-1A 0393-6-1A-41	57	0469-2	40/42	0512	99	0825	98 48
0198-1011	53	0393-6-1AC	57	0469-9	42	0533-1	93/96	0825	48
0199-93	47	0393-6-1AC-41	57	0469-BL	42	0533-2	93/96	0820	48
0215	47	0393-8 0393-R	57	04692	42	0533-3	93/96	0828	48
0245-SS	47	0394-1A	57	04692-6	43	0533-4	93/96	0829	40
0245-55 0258-SS	72	0394-1A-41	57	04692-9	43	0533-48	93/96	0852	48 69
0259-SS	72/105	0394-1AC	56/57	04692A	43	0535	63/64	0864	67
0263-1	72/103	0394-1AC-41	56/57	04692A-6	43	0537	64	0952	96
0264-1	78	0394-6-1A	57	04692A-9	43	0546	97	0952-B	96
0267	78	0394-6-1A-41	57	04692AC	43	0547	97	0953	96
0326	61	0394-6-1AC	57	04692AC-6	43	0548	98	101-14	108
0332	59	0394-6-1AC-41	57	04692AC-9	43	0548-9	98	101-14	108
0332-C	59	0397	58	046921	45	0551	99	105-14	108
0332-CD	59	0397-1A	57	046921-6	45	0556	99	107	109
0332-D	59	0397-1AC	56/57	046921-9	45	0557	99	110	107
0334-B	59	0397-1A-41	57	046921A	45	0558-1	99	110-1	107
0334-S	59	0397-1AC-41	57	046921A-6	45	0559	99	110-13	107
0335-B	59	0398	82	046921A-9	45	0600	63/64	110-A	107
0335-S	59	0399	82	046921AC	45	0600-T	63/64	120	107
0336	59	0400	82	046921AC-6	45	0605	62/64	122	106
0336-D	59	0401	82	046921AC-9	45	0620	62/64	123	106
0338	59	0402-Z	79	046924A	45	0625	62/64	127	109
0339	59	0410-Z	82	046926	44	0661-1	16/52/61/65	128-1	106
0345	60	0412	91	04697	43	0661-2	16/52/61/65	129	108
0347	60	0439	47	04697-4	43	0661-T	14/16/61/65	130	109
0349	97	0452	46	04697-9	43	0661-FM-14	16/66	140	109
0350	97	0452-9	46	04697-BL	43	0661-FM-23	16/66	159	107
0360	58	045210A	46	0472	69	0663-1	17/52/61/65	160	107
0361	61	045210A-6	46	0472-1	69	0663-2	17/52/61/65	161	107
0362	58	045210A-9	46	0473	69	0663-T	17/61/65	162	107
0362-41	58	045210AC	46	0473-1	69	0690	90	163	107
0390	57	045210AC-6	46	0473-A	69	0692	90/91	164	107
0390-1A	57	045210AC-9	46	0473-1A	69	0694	90/91	165	107
0390-1A-41	57	045224	46	04733	46	0697-GAL	78	166	107
0390-1AC	57	045224-6	46	0477	79	0698	91	167	107
0390-1AC-41		045224-9	46	0477-SM	79	0705-Z	79	168	107
0390-6-1A	57	045224A	46	0481	73	0710	78	169	107
		I		1					

MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE	MODEL	PAGE
1000	49	2046921AC	21	64623-41	13	7310-S	73	8339	97
1000A	49	2046921AC-6	21	6467	13/32/34	7311-B	73	8340	97
1001	49	2046921AC-9	21	6467-9	34	7312	102	8358	84
1002	49	20470	22/69	6467-00	13	7313	102	8425	70
1003	49	20477-SM	23/79	6467-41	13	7314	103	8522	47
1200-SHU	84	20650	25/62/63/64	64672	12/35	7314-H	103	8523A	47
1200-V	84	20650-B	64	64672-1	12/35/52	7315-H	103	8523AC	47
1201-A	82/83/105	20655	25/63/64	64672-1-00	12/52	7316	102	9012	89
1201-B	83/105	20655-B	64	64672-1-41	12/52	7317	103	9013	24/86/89
1204	83	20692	25/90/91	64672-2	12/35/52	7317-S	103	9013-9	24/89
1214	83	20826	22	64672-2-00	12/52	7320	71	9014	88
1224	83	20826-T	22	64672-2-41	12/52	7322	104	9015	88
1306	93	20852	22/69	64676	34	7335	71	9016	89
1307-3	92	3400 SERIES	80	64676-2	34	7340	70	9017	88
1307-4	92	3500 SERIES	80	64676-9	34	7345	70	9017-9	88
1307-5	92	3700 SERIES	80	6468	39/67	7355	72	9018	88
1307-6	92	3700-W	80	64684	39/67	7381	104	9018-9	88
1308-3	92	3800 SERIES	80	646924A	35	7382	71	9020	89
1308-4	92	3800-AW SERI	<b>ES</b> 80/98	646924A-9	35	7383	100/104	9030	31/76
1315-3	93	3800-W	80	646924AC	35	7385	70	9031	31
1315-4	93	3801-18AW	80/98	646924AC-9	35	7387	104	9326	31
1315-6	93	3801-24AW	80/98	64696	37	7388	104	9343	24/31/60
20030	23	3801-36AW	80/98	64696-6	37	7402	77	9452	30
20031	23	3801-42AW	80/98	64696-9	37	7402-H	77	9457	30
20199	25/55	3801-48AW	80/98	64696A	12/37	74022	77	9459	30
20200	25/50/51	3802-48AW	80/98	64696A-6	37	74022-H	74	9462	28
20201	25/51	3874	81	64696A-9	37	7403	78	94623	30
20210	23	3874-M2337	81	64696A-00	12	7403-B	78	9467	29
20333	58	4004	49	64696A-41	12	7403-S	78	94676	29
20334	58	5001-SS	60	64696AC	12	7404-B	83	9468	30
20363	24/60	6326	39	64696AC-6	37	7404-S	83	94684	30
20364	24/60	6452	38	64696AC-9	37	7410-B	83	9469	26/28
20365	24/60	6452-9	38	64696AC-00	12	7410-S	83	94696	29
20452	23	645210	37	64696AC-41	12	8026	63/64	94696A	29
204523A	23	645210A	13/37	6471	39/68	8154	96	94696A-6	29
204523A-6	23	645210A-6	37	6474	12/38	8155	96	94696A-9	29
204523A-9	23	645210A-9	37	6474-2	38	8156	96	94696AC	29
204523AC	23	645210A-00	13	6474-00	12	8165	47	94696AC-6	29
204523AC-6	23	645210A-41	13	6474-41	12	8202	85	94696AC-9	29
204523AC-9	23	645210AC	13	6477	39	8203	84	9471	31/68
20458	22	645210AC-6	37	68523A	39	8204	84	9474	30
204623	20	645210AC-9	37	68523A-4	39	8205-L	85	9477	31
204623-9	20	645210AC-00	13	68523AC	39	8205-R	85	9477-SM	31
204684	22/68	645210AC-41	13	68523AC-4	39	8206-L	85	R-009	79
204684-9	22/68	6457	12/38	7301-B	71	8206-R	85		
20469	18/20	6457-00	12	7301-S	71	8206-SC-L	85		
20469-9	20	6457-41	12	7303	79	8206-SC-R	85		
204692A	21	6459	38	7305-2B	78	8207	84		
204692A-6	21	6462	13/34	7305-2S	78	8208-L	84		
204692A-9	21	6462-2	34	7305-B	78	8208-R	84		
204692AC	21	6462-9	34	7305-S	78	8209	85		
204692AC-6	21	6462-00	13	7306	105	8215-3	93		
204692AC-9	21	6462-41	10/13	7307-18	105	8215-4	93		
2046921A	21	64623	13/36	7307-24	105	8215-5	93		
2046921A-6	21	64623-9	36	7308	102	8287	63		
2046921A-9	21	64623-00	13	7310-B	73	8338	97		
		-							





441 Saw Mill River Rd., Yonkers, NY 10701 Tel: 914.476.9000 • Fax: 914.476.0688 • americanspecialties.com

© 2019 American Specialties, Inc., an ASI Group Company

ASI107941219